

EXHIBIT 3

(12) **United States Patent**
Konicek

(10) **Patent No.:** **US 11,153,472 B2**
(45) **Date of Patent:** ***Oct. 19, 2021**

(54) **AUTOMATIC UPLOAD OF PICTURES FROM A CAMERA**

(71) Applicant: **Cutting Edge Vision LLC**, Scottsdale, AZ (US)

(72) Inventor: **Jeffrey C. Konicek**, Tolono, IL (US)

(73) Assignee: **Cutting Edge Vision, LLC**, Scottsdale, AZ (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

This patent is subject to a terminal disclaimer.

(21) Appl. No.: **16/663,742**

(22) Filed: **Oct. 25, 2019**

(65) **Prior Publication Data**

US 2020/0068116 A1 Feb. 27, 2020

Related U.S. Application Data

(60) Continuation of application No. 14/614,515, filed on Feb. 5, 2015, now abandoned, which is a continuation (Continued)

(51) **Int. Cl.**
H04N 5/232 (2006.01)
G03B 17/02 (2021.01)
(Continued)

(52) **U.S. Cl.**
CPC **H04N 5/23203** (2013.01); **G03B 13/02** (2013.01); **G03B 17/02** (2013.01);
(Continued)

(58) **Field of Classification Search**
USPC 396/56
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,950,971 A 8/1960 George
3,403,223 A 9/1968 Derk
(Continued)

FOREIGN PATENT DOCUMENTS

AU 709833 8/1999
AU 2004221365 2/2011
(Continued)

OTHER PUBLICATIONS

Machine English Translation of JP H07-84302 to Kawamura.
(Continued)


Primary Examiner — Rodney E Fuller

(74) *Attorney, Agent, or Firm* — Law Offices of Lisa & Lesko, LLC; Justin Lesko, Esq.

(57) **ABSTRACT**

A system and method is disclosed for enabling user friendly interaction with a camera system. Specifically, the inventive system and method has several aspects to improve the interaction with a camera system, including voice recognition, gaze tracking, touch sensitive inputs and others. The voice recognition unit is operable for, among other things, receiving multiple different voice commands, recognizing the vocal commands, associating the different voice commands to one camera command and controlling at least some aspect of the digital camera operation in response to these voice commands. The gaze tracking unit is operable for, among other things, determining the location on the viewfinder image that the user is gazing upon. One aspect of the touch sensitive inputs provides that the touch sensitive pad is mouse-like and is operable for, among other things, receiving user touch inputs to control at least some aspect of the camera operation. Another aspect of the disclosed invention provides for gesture recognition to be used to interface with and control the camera system.

8 Claims, 8 Drawing Sheets



US 11,153,472 B2

Page 2

Related U.S. Application Data

of application No. 14/539,687, filed on Nov. 12, 2014, now Pat. No. 9,485,403, which is a continuation of application No. 14/495,976, filed on Sep. 25, 2014, now Pat. No. 8,917,982, which is a continuation of application No. 14/453,511, filed on Aug. 6, 2014, now Pat. No. 8,923,692, which is a continuation of application No. 14/315,544, filed on Jun. 26, 2014, now Pat. No. 8,897,634, which is a continuation of application No. 14/203,129, filed on Mar. 10, 2014, now Pat. No. 8,818,182, which is a continuation of application No. 13/717,681, filed on Dec. 17, 2012, now Pat. No. 8,831,418, which is a continuation of application No. 13/087,650, filed on Apr. 15, 2011, now Pat. No. 8,467,672, which is a continuation of application No. 12/710,066, filed on Feb. 22, 2010, now Pat. No. 7,933,508, which is a division of application No. 11/163,391, filed on Oct. 17, 2005, now Pat. No. 7,697,827.

(51) Int. Cl.

G03B 29/00 (2021.01)
G03B 31/06 (2021.01)
H04N 1/00 (2006.01)
G03B 13/02 (2021.01)
G06F 3/041 (2006.01)
G10L 15/22 (2006.01)
G10L 17/22 (2013.01)
H04M 3/42 (2006.01)
H04N 5/225 (2006.01)
H04N 1/21 (2006.01)

(52) U.S. Cl.

CPC **G03B 29/00** (2013.01); **G03B 31/06** (2013.01); **G06F 3/041** (2013.01); **G10L 15/22** (2013.01); **G10L 17/22** (2013.01); **H04M 3/42204** (2013.01); **H04N 1/00095** (2013.01); **H04N 1/00204** (2013.01); **H04N 1/00209** (2013.01); **H04N 1/00212** (2013.01); **H04N 1/00244** (2013.01); **H04N 1/2112** (2013.01); **H04N 5/2257** (2013.01); **H04N 5/23206** (2013.01); **H04N 5/23216** (2013.01); **H04N 5/23219** (2013.01); **H04N 5/23222** (2013.01); **H04N 5/232933** (2018.08); **G10L 2015/223** (2013.01); **H04N 2201/0084** (2013.01)

(56)

References Cited

U.S. PATENT DOCUMENTS

3,439,598 A 4/1969 Weitzner et al.
 3,483,324 A 12/1969 Gorike
 3,639,920 A 2/1972 Griffin et al.
 3,751,602 A 8/1973 Breeden
 3,755,625 A 8/1973 Maston
 3,770,892 A 11/1973 Clapper
 3,793,489 A 2/1974 Sank
 3,814,856 A 6/1974 Dugan
 3,877,790 A 4/1975 Robinson
 3,973,081 A 8/1976 Hutchins
 3,994,283 A 11/1976 Farley
 4,003,063 A 1/1977 Takahashi et al.
 4,021,828 A 5/1977 Iura et al.
 4,081,623 A 3/1978 Voageley
 4,082,873 A 4/1978 Williams
 4,087,630 A 5/1978 Browning et al.
 4,090,032 A 5/1978 Schrader
 D248,669 S 7/1978 Ramsey
 4,099,025 A 7/1978 Kahn
 4,158,750 A 6/1979 Sakoe et al.

4,192,590 A 3/1980 Kitaura
 4,195,641 A 4/1980 Joines et al.
 4,207,959 A 6/1980 Youdin et al.
 4,209,244 A 6/1980 Sahara et al.
 4,219,260 A 8/1980 Date et al.
 4,221,927 A 9/1980 Dankman et al.
 4,222,644 A 9/1980 Tano et al.
 4,222,658 A 9/1980 Mandel
 4,227,177 A 10/1980 Moshier
 4,237,339 A 12/1980 Bunting et al.
 4,270,852 A 6/1981 Suzuki et al.
 4,270,853 A 6/1981 Hatada et al.
 4,270,854 A 6/1981 Stemme et al.
 4,285,559 A 8/1981 Koch
 4,288,078 A 9/1981 Lugo
 4,290,685 A 9/1981 Ban
 4,308,425 A 12/1981 Momose et al.
 4,334,740 A 6/1982 Wray
 4,340,800 A 7/1982 Ueda et al.
 4,344,682 A 8/1982 Hattori
 4,354,059 A 10/1982 Ishigaki et al.
 4,386,834 A 6/1983 Toolan
 4,389,109 A 6/1983 Taniguchi et al.
 4,393,271 A 7/1983 Fujinami et al.
 4,399,327 A 8/1983 Yamamoto et al.
 4,434,507 A 2/1984 Thomas
 4,443,077 A 4/1984 Tanikawa
 4,450,545 A 5/1984 Noso et al.
 4,472,742 A 9/1984 Hasegawa et al.
 4,485,484 A 11/1984 Flanagan
 4,489,442 A 12/1984 Anderson et al.
 4,501,012 A 2/1985 Kishi et al.
 4,503,528 A 3/1985 Nojiri et al.
 4,506,378 A 3/1985 Noso et al.
 4,520,576 A 6/1985 Molen
 4,531,818 A 7/1985 Bally
 4,538,295 A 8/1985 Noso et al.
 4,538,894 A 9/1985 Shirane
 4,542,969 A 9/1985 Omura
 4,550,343 A 10/1985 Nakatani
 4,557,271 A 12/1985 Stoller et al.
 4,563,780 A 1/1986 Pollack
 4,567,606 A 1/1986 Vensko et al.
 4,595,990 A 6/1986 Garwin
 4,597,098 A 6/1986 Noso et al.
 4,613,911 A 9/1986 Ohta
 4,627,620 A 12/1986 Yang
 4,630,910 A 12/1986 Ross et al.
 4,635,286 A 1/1987 Bui et al.
 4,641,292 A 2/1987 Tunnell et al.
 4,642,717 A 2/1987 Matsuda et al.
 4,645,458 A 2/1987 Williams
 4,648,052 A 3/1987 Friedman et al.
 4,658,425 A 4/1987 Julstrom
 4,679,924 A 7/1987 Wamsley
 4,695,953 A 9/1987 Blair et al.
 4,702,475 A 10/1987 Elstein et al.
 4,711,543 A 12/1987 Blair et al.
 4,717,364 A 1/1988 Furukawa
 4,742,369 A 5/1988 Ishii et al.
 4,742,548 A 5/1988 Sessler et al.
 4,746,213 A 5/1988 Knapp
 4,751,642 A 6/1988 Silva et al.
 4,757,388 A 7/1988 Someya et al.
 4,761,641 A 8/1988 Schreiber
 4,764,817 A 8/1988 Blazek et al.
 4,776,016 A 10/1988 Hansen
 4,780,906 A 10/1988 Rajasekaran et al.
 4,783,803 A 11/1988 Baker et al.
 4,794,934 A 1/1989 Motoyama et al.
 4,796,997 A 1/1989 Svetkoff et al.
 4,797,927 A 1/1989 Schaire
 4,807,051 A 2/1989 Ogura
 4,807,273 A 2/1989 Haendle
 4,809,065 A 2/1989 Harris et al.
 4,809,332 A 2/1989 Jongman et al.
 4,817,158 A 3/1989 Picheny
 4,817,950 A 4/1989 Goo
 4,827,520 A 5/1989 Zeinstra

US 11,153,472 B2

Page 3

(56)

References Cited

U.S. PATENT DOCUMENTS

4,833,713 A	5/1989	Muroi et al.	5,335,072 A	8/1994	Tanaka et al.
4,836,670 A	6/1989	Hutchinson	5,335,313 A	8/1994	Douglas
4,837,817 A	6/1989	Maemori	5,345,281 A	9/1994	Taboada et al.
4,843,568 A	6/1989	Krueger et al.	5,345,538 A	9/1994	Narayannan et al.
4,862,278 A	8/1989	Dann et al.	5,347,306 A	9/1994	Nitta
4,866,470 A	9/1989	Arai et al.	5,363,481 A	11/1994	Tilt
D305,648 S	1/1990	Edington	5,365,302 A	11/1994	Kodama
4,893,183 A	1/1990	Nayar	5,366,379 A	11/1994	Yang et al.
4,895,231 A	1/1990	Yamaguchi	5,367,315 A	11/1994	Pan
4,901,362 A	2/1990	Terzian	5,372,147 A	12/1994	Lathrop et al.
4,905,029 A	2/1990	Kelley	5,373,341 A	12/1994	SanGregory
4,925,189 A	5/1990	Braeunig	5,385,519 A	1/1995	Hsu et al.
4,950,069 A	8/1990	Hutchinson	5,386,494 A	1/1995	White
4,951,079 A	8/1990	Hoshino et al.	5,404,189 A	4/1995	Labaziewicz et al.
4,953,029 A	8/1990	Morimoto et al.	5,404,397 A	4/1995	Janse et al.
4,953,222 A	8/1990	Roberts	5,405,152 A	4/1995	Katanics et al.
4,961,211 A	10/1990	Tsugane et al.	5,417,210 A	5/1995	Funda et al.
4,965,626 A	10/1990	Robison et al.	5,423,554 A	6/1995	Davis
4,965,775 A	10/1990	Elko et al.	5,425,129 A	6/1995	Garman et al.
4,973,149 A	11/1990	Hutchinson	5,426,510 A	6/1995	Meredith
4,977,419 A	12/1990	Wash et al.	5,426,745 A	6/1995	Baji et al.
4,980,918 A	12/1990	Bahl et al.	5,427,113 A	6/1995	Hiroshi et al.
4,983,996 A	1/1991	Kinoshita	5,446,512 A	8/1995	Mogamiya
4,989,253 A	1/1991	Liang et al.	5,452,397 A	9/1995	Ittycheriah et al.
5,005,041 A	4/1991	Suda et al.	5,454,043 A	9/1995	Freeman
5,023,635 A	6/1991	Nealon	5,459,511 A	10/1995	Uehara et al.
5,025,283 A	6/1991	Robison	5,461,453 A	10/1995	Watanabe et al.
5,027,149 A	6/1991	Hoshino et al.	5,465,317 A	11/1995	Epstein
5,048,091 A	9/1991	Sato et al.	5,469,740 A	11/1995	French et al.
5,062,010 A	10/1991	Saito	5,471,542 A	11/1995	Ragland
5,069,732 A	12/1991	Levine	5,475,792 A	12/1995	Stanford et al.
5,070,355 A	12/1991	Inoue et al.	5,475,798 A	12/1995	Handlos
5,074,683 A	12/1991	Tarn et al.	5,477,264 A	12/1995	Sarbadhikari et al.
5,086,385 A	2/1992	Launey et al.	5,481,622 A	1/1996	Gerhardt et al.
5,097,278 A	3/1992	Tamamura et al.	5,486,892 A	1/1996	Suzuki et al.
5,099,262 A	3/1992	Tanaka et al.	5,495,576 A	2/1996	Ritchey
5,101,444 A	3/1992	Wilson et al.	5,508,663 A	4/1996	Konno
5,111,410 A	5/1992	Nakayama et al.	5,508,774 A	4/1996	Klees
5,121,426 A	6/1992	Baumhauer, Jr. et al.	5,510,981 A	4/1996	Berger et al.
5,127,055 A	6/1992	Larkey	5,511,256 A	4/1996	Capaldi
5,128,700 A	7/1992	Inoue et al.	5,513,298 A	4/1996	Stanford et al.
5,128,705 A	7/1992	Someya et al.	5,515,130 A	5/1996	Tsukahara et al.
5,134,680 A	7/1992	Schempp	5,516,105 A	5/1996	Eisenbrey et al.
5,146,249 A	9/1992	Hoda et al.	5,517,021 A	5/1996	Kaugman
5,148,154 A	9/1992	MacKay et al.	5,519,809 A	5/1996	Husseiny et al.
5,160,952 A	11/1992	Iwashita et al.	5,524,637 A	6/1996	Erickson
5,164,831 A	11/1992	Kuchta et al.	5,534,917 A	7/1996	MacDougall
5,184,295 A	2/1993	Mann	5,541,400 A	7/1996	Hagiwara et al.
5,193,117 A	3/1993	Ono et al.	5,541,656 A	7/1996	Kare et al.
5,204,709 A	4/1993	Sato	5,544,654 A	8/1996	Murphy et al.
5,208,453 A	5/1993	Hostetler	5,546,145 A	8/1996	Bernardi et al.
5,210,560 A	5/1993	Labaziewicz	5,548,335 A	8/1996	Mitsuhashi et al.
5,210,566 A	5/1993	Nishida	5,550,380 A	8/1996	Sugawara et al.
5,212,647 A	5/1993	Raney et al.	5,550,628 A	8/1996	Kawabata
5,229,754 A	7/1993	Aoki et al.	5,557,358 A	9/1996	Mukai et al.
5,229,756 A	7/1993	Kosugi et al.	5,561,737 A	10/1996	Bowen
5,230,023 A	7/1993	Nakano	5,563,988 A	10/1996	Maes et al.
5,239,337 A	8/1993	Takagi et al.	5,566,272 A	10/1996	Brems et al.
5,239,463 A	8/1993	Blair et al.	5,570,151 A	10/1996	Terunuma et al.
5,239,464 A	8/1993	Blair et al.	5,573,506 A	11/1996	Vasko
5,241,619 A	8/1993	Schwartz et al.	5,577,981 A	11/1996	Jarvik
5,245,372 A	9/1993	Aoshima	5,579,037 A	11/1996	Tahara et al.
5,245,381 A	9/1993	Takagi et al.	5,579,046 A	11/1996	Mitsuhashi et al.
5,253,008 A	10/1993	Konishi et al.	5,579,080 A	11/1996	Irie et al.
5,274,862 A	1/1994	Palmer	5,580,249 A	12/1996	Jacobsen et al.
5,288,078 A	2/1994	Capper et al.	5,581,323 A	12/1996	Suzuki et al.
5,295,491 A	3/1994	Gevens	5,581,485 A	12/1996	Van Aken
5,297,210 A	3/1994	Julstrom	5,581,655 A	12/1996	Cohen et al.
5,303,148 A	4/1994	Mattson et al.	5,594,469 A	1/1997	Freeman et al.
5,303,373 A	4/1994	Harootian	5,597,309 A	1/1997	Riess
5,313,542 A	5/1994	Castonguay	5,600,399 A	2/1997	Yamada et al.
5,320,538 A	6/1994	Baum	5,602,458 A	2/1997	Dowe
5,331,149 A	7/1994	Spitzer et al.	5,603,127 A	2/1997	Veal
5,335,011 A	8/1994	Addeo et al.	5,606,390 A	2/1997	Arai et al.
5,335,041 A	8/1994	Fox	5,609,938 A	3/1997	Shields
			5,614,763 A	3/1997	Womack
			5,615,296 A	3/1997	Stanford et al.
			5,616,078 A	4/1997	Oh
			5,617,312 A	4/1997	Iura et al.

US 11,153,472 B2

Page 4

(56)

References Cited

U.S. PATENT DOCUMENTS

5,633,678	A	5/1997	Parulski et al.	5,850,211	A	12/1998	Tognazzini
5,634,141	A	5/1997	Akashi et al.	5,850,218	A	12/1998	LaJoie et al.
5,637,849	A	6/1997	Wang et al.	5,855,000	A	12/1998	Waibel et al.
5,638,300	A	6/1997	Johnson	5,867,817	A	2/1999	Catalo et al.
5,640,612	A	6/1997	Owashi	5,870,709	A	2/1999	Bernstein
5,641,288	A	6/1997	Zaenglein	5,871,589	A	2/1999	Hedge
5,644,642	A	7/1997	Kirschbaum	5,874,947	A	2/1999	Lin
5,647,025	A	7/1997	Frost et al.	5,875,108	A	2/1999	Hoffberg et al.
5,655,172	A	8/1997	Omi et al.	5,877,772	A	3/1999	Nomura et al.
5,664,021	A	9/1997	Chu et al.	5,877,803	A	3/1999	Wee et al.
5,664,133	A	9/1997	Malamud et al.	5,877,809	A	3/1999	Omata et al.
5,664,243	A	9/1997	Okada et al.	5,878,922	A	3/1999	Boring
5,666,215	A	9/1997	Fredlund et al.	5,884,265	A	3/1999	Squitteri et al.
5,666,566	A	9/1997	Gu et al.	5,884,350	A	3/1999	Kurze
5,668,928	A	9/1997	Groner	5,893,037	A	4/1999	Reele et al.
5,670,992	A	9/1997	Iizuka et al.	5,897,232	A	4/1999	Stephenson et al.
5,672,840	A	9/1997	Sage et al.	5,898,779	A	4/1999	Squilla et al.
5,673,327	A	9/1997	Julstrom	5,903,864	A	5/1999	Gadbois et al.
5,675,633	A	10/1997	Kopp et al.	5,903,870	A	5/1999	Kaufman
5,677,834	A	10/1997	Mooneyham	5,907,723	A	5/1999	Inoue
5,680,709	A	10/1997	Stone	5,911,687	A	6/1999	Sato et al.
5,682,030	A	10/1997	Kubon	5,913,080	A	6/1999	Yamada et al.
5,682,196	A	10/1997	Freeman	5,913,727	A	6/1999	Ahdoot
5,682,229	A	10/1997	Wangler	5,917,921	A	6/1999	Sasaki
5,689,619	A	11/1997	Smyth	5,920,350	A	7/1999	Keirsbilck
5,690,582	A	11/1997	Ulrich et al.	5,923,908	A	7/1999	Schrock et al.
5,703,367	A	12/1997	Hashimoto et al.	5,926,655	A	7/1999	Irie et al.
5,704,837	A	1/1998	Iwasaki et al.	5,930,533	A	7/1999	Yamamoto
5,706,049	A	1/1998	Moghadam et al.	5,930,746	A	7/1999	Ting
5,708,863	A	1/1998	Satoh et al.	5,933,125	A	8/1999	Fernie et al.
5,710,866	A	1/1998	Alleva et al.	5,940,121	A	8/1999	McIntyre et al.
5,715,334	A	2/1998	Peters	5,943,516	A	8/1999	Uchiyama et al.
5,715,548	A	2/1998	Weismiller et al.	5,959,667	A	9/1999	Maeng
5,715,834	A	2/1998	Bergamasco et al.	5,970,258	A	10/1999	Suda et al.
5,721,783	A *	2/1998	Anderson	5,970,457	A	10/1999	Brant et al.
			H04B 1/385	5,980,124	A	11/1999	Bernardi et al.
			381/328	5,980,256	A	11/1999	Carmein
5,724,619	A	3/1998	Hamada et al.	5,982,555	A	11/1999	Melville et al.
5,729,289	A	3/1998	Etoh	5,983,186	A	11/1999	Miyazawa et al.
5,729,659	A	3/1998	Potter	5,989,157	A	11/1999	Walton
5,734,425	A	3/1998	Takizawa et al.	5,991,385	A	11/1999	Dunn et al.
D393,808	S	4/1998	Lindsey et al.	5,991,720	A	11/1999	Galler et al.
5,737,491	A	4/1998	Allen et al.	5,991,726	A	11/1999	Immarco et al.
5,740,484	A	4/1998	Miyazaki et al.	5,995,649	A	11/1999	Marugame
5,742,233	A	4/1998	Hoffman et al.	5,995,931	A	11/1999	Bahl et al.
5,745,717	A	4/1998	Vayda et al.	5,995,936	A	11/1999	Brais et al.
5,745,810	A	4/1998	Masushima	6,003,004	A	12/1999	Hershkovits et al.
5,748,992	A	5/1998	Tsukahara et al.	6,003,991	A	12/1999	Vuirre
5,749,000	A	5/1998	Narisawa	6,004,061	A	12/1999	Manico et al.
5,749,324	A	5/1998	Moore	6,005,548	A	12/1999	Latypov et al.
5,751,260	A	5/1998	Miller et al.	6,005,610	A	12/1999	Pingali
5,752,094	A	5/1998	Tsutsumi et al.	6,006,126	A	12/1999	Cosman
5,757,428	A	5/1998	Takei	6,006,187	A	12/1999	Tanenblatt
5,760,917	A	6/1998	Sheridan	6,009,210	A	12/1999	Kang
5,765,045	A	6/1998	Takagi et al.	6,012,029	A	1/2000	Cirino et al.
5,771,414	A	6/1998	Bowen	6,012,102	A	1/2000	Shachar
5,771,511	A	6/1998	Kummer et al.	6,014,524	A	1/2000	Suzuki et al.
5,774,754	A	6/1998	Ootsuka	6,016,450	A	1/2000	Crock
5,774,851	A	6/1998	Miyashiba et al.	6,021,278	A	2/2000	Bernardi et al.
5,779,483	A	7/1998	Cho	6,021,418	A	2/2000	Brandt et al.
5,788,688	A	8/1998	Bauer et al.	6,027,216	A	2/2000	Guyton et al.
5,797,046	A	8/1998	Nagano et al.	6,031,526	A	2/2000	Shipp
5,797,122	A	8/1998	Spies	6,040,824	A	3/2000	Maekawa et al.
5,805,251	A	9/1998	Ozawa	6,049,766	A	4/2000	Laroche
5,809,591	A	9/1998	Capaldi et al.	6,050,963	A	4/2000	Johnson et al.
5,812,978	A	9/1998	Nolan	6,054,990	A	4/2000	Tran
5,815,750	A	9/1998	Ishiguro	6,054,991	A	4/2000	Crane et al.
5,819,183	A	10/1998	Voroba et al.	6,066,075	A	5/2000	Poulton
5,828,376	A	10/1998	Solimene et al.	6,067,112	A	5/2000	Wellner et al.
5,829,782	A	11/1998	Breed et al.	6,070,140	A	5/2000	Tran
5,832,077	A	11/1998	Ciurpita	6,072,494	A	6/2000	Nguyen
5,832,440	A	11/1998	Woodbridge et al.	6,073,489	A	6/2000	French et al.
5,841,950	A	11/1998	Wang et al.	6,077,085	A	6/2000	Parry et al.
5,844,599	A	12/1998	Hildin	6,077,201	A	6/2000	Cheng
5,848,146	A	12/1998	Slattery	6,078,886	A	6/2000	Dragosh et al.
5,850,058	A	12/1998	Aoshima et al.	6,081,670	A	6/2000	Madsen et al.
				6,085,160	A	7/2000	D'hoore et al.
				6,088,669	A	7/2000	Maes
				6,091,334	A	7/2000	Galiana

US 11,153,472 B2

Page 5

(56)

References Cited

U.S. PATENT DOCUMENTS

6,098,458 A	8/2000	French et al.	6,308,565 B1	10/2001	French et al.
6,099,473 A	8/2000	Liu et al.	6,311,156 B1	10/2001	Ho
6,100,896 A	8/2000	Strohecker et al.	6,313,864 B1	11/2001	Kikuchi et al.
6,101,115 A	8/2000	Ross	6,316,934 B1	11/2001	Amorai-Moriya et al.
6,101,258 A	8/2000	Killion et al.	6,317,717 B1	11/2001	Lindsey et al.
6,101,289 A	8/2000	Kellner	6,321,040 B1	11/2001	Wess et al.
6,101,338 A	8/2000	Bernardi et al.	6,323,858 B1	11/2001	Gilbert et al.
6,104,877 A	8/2000	Smart et al.	6,324,545 B1	11/2001	Morag
6,111,580 A	8/2000	Fukui Kazuhiro et al.	6,327,423 B1	12/2001	Ejima et al.
6,115,482 A	9/2000	Goldberg et al.	6,339,429 B1	1/2002	Schug
6,115,556 A	9/2000	Reddington	6,344,875 B1	2/2002	Hashimoto et al.
6,115,668 A	9/2000	Kaneko et al.	6,345,111 B1	2/2002	Fukui et al.
6,118,888 A	9/2000	Chino et al.	6,349,001 B1	2/2002	Spitzer
6,128,003 A	10/2000	Smith et al.	6,351,222 B1	2/2002	Henry et al.
6,128,446 A	10/2000	Schrock et al.	6,351,273 B1	2/2002	Lemelson et al.
6,130,677 A	10/2000	Kunz	6,359,837 B1	3/2002	Tsukamoto
6,130,741 A	10/2000	Wen et al.	6,363,160 B1	3/2002	Bradski et al.
6,134,392 A	10/2000	Gove	6,366,319 B1	4/2002	Bills
6,137,487 A	10/2000	Mantha	6,373,961 B1	4/2002	Richardson et al.
6,137,887 A	10/2000	Anderson	6,377,923 B1	4/2002	Hershkovits et al.
6,138,091 A	10/2000	Haataja et al.	6,381,316 B2	4/2002	Joyce et al.
6,141,463 A	10/2000	Cowell et al.	6,381,412 B1	4/2002	Ishito et al.
6,144,807 A	11/2000	Smart et al.	6,384,819 B1	5/2002	Hunter
6,147,678 A	11/2000	Kumar et al.	6,388,681 B1	5/2002	Nozaki
6,147,711 A	11/2000	Washio	6,388,707 B1	5/2002	Suda
6,147,744 A	11/2000	Smart et al.	6,389,395 B1	5/2002	Ringland
6,148,154 A	11/2000	Ishimaru et al.	6,392,249 B1	5/2002	Struye et al.
6,152,856 A	11/2000	Studor et al.	6,393,216 B1	5/2002	Ootsuka et al.
6,159,100 A	12/2000	Smith	6,394,602 B1	5/2002	Morrison et al.
6,160,540 A	12/2000	Fishkin et al.	6,405,939 B1	6/2002	Mazzenga et al.
6,161,932 A	12/2000	Goto et al.	6,406,758 B1	6/2002	Bottari et al.
6,163,652 A	12/2000	Sato	6,408,138 B1	6/2002	Chang et al.
6,167,469 A	12/2000	Safai et al.	6,408,301 B1	6/2002	Patton et al.
6,169,854 B1	1/2001	Hasegawa et al.	6,411,744 B1	6/2002	Edwards
6,173,059 B1	1/2001	Huang et al.	6,411,925 B1	6/2002	Keiller
6,173,066 B1	1/2001	Peurach et al.	6,424,843 B1	7/2002	Jyrki et al.
6,181,343 B1	1/2001	Lyons	6,426,740 B1	7/2002	Goto et al.
6,181,377 B1	1/2001	Kobayashi	6,426,761 B1	7/2002	Kanevsky et al.
6,181,883 B1	1/2001	Oswal	6,430,551 B1	8/2002	Thelen et al.
6,185,371 B1	2/2001	Smart et al.	6,430,997 B1	8/2002	French et al.
6,188,777 B1	2/2001	Darrell et al.	6,434,255 B1	8/2002	Harakawa
6,192,193 B1	2/2001	Smart et al.	6,434,403 B1	8/2002	Ausems et al.
6,192,343 B1	2/2001	Morgan et al.	6,438,323 B1	8/2002	DeCecca et al.
6,201,931 B1	3/2001	Cipola et al.	6,438,520 B1	8/2002	Curt et al.
6,204,877 B1	3/2001	Kiyokawa	6,452,348 B1	9/2002	Toyoda
6,215,471 B1	4/2001	Deluca	6,452,544 B1	9/2002	Hakala et al.
6,215,890 B1	4/2001	Matsuo et al.	6,456,788 B1	9/2002	Otani
6,215,898 B1	4/2001	Woodfill et al.	6,456,892 B1	9/2002	Dara-Abrams et al.
6,222,993 B1	4/2001	Smart et al.	6,466,688 B1	10/2002	Ramstack
6,224,542 B1	5/2001	Chang et al.	6,476,834 B1	11/2002	Doval et al.
6,226,396 B1	5/2001	Marugame	6,496,598 B1	12/2002	Harman
6,229,913 B1	5/2001	Nayar et al.	6,498,628 B2	12/2002	Iwamura
6,230,138 B1	5/2001	Everhart	6,499,016 B1	12/2002	Anderson
6,240,251 B1	5/2001	Smart et al.	6,503,195 B1	1/2003	Keller et al.
6,243,076 B1	6/2001	Hatfield	6,504,552 B2	1/2003	Phillips
6,243,683 B1	6/2001	Peters	6,510,414 B1	1/2003	Chaves
6,244,873 B1	6/2001	Hill et al.	6,526,352 B1	2/2003	Breed et al.
6,249,316 B1	6/2001	Anderson	6,529,802 B1	3/2003	Kawakita et al.
6,253,184 B1	6/2001	Ruppert	6,531,999 B1	3/2003	Trajkovic
6,256,060 B1	7/2001	Waikui	6,535,694 B2	3/2003	Engle et al.
6,256,400 B1	7/2001	Takata et al.	6,538,697 B1	3/2003	Honda et al.
6,259,436 B1	7/2001	Moon et al.	6,539,931 B2	4/2003	Trajkovic et al.
6,266,635 B1	7/2001	Sneh	6,549,586 B2	4/2003	Gustafsson et al.
6,272,287 B1	8/2001	Cipola et al.	6,549,629 B2	4/2003	Finn et al.
6,275,656 B1	8/2001	Cipola et al.	6,556,240 B2	4/2003	Oka et al.
6,278,973 B1	8/2001	Chung et al.	6,556,784 B2	4/2003	Onuki
6,279,946 B1	8/2001	Johnson et al.	6,560,027 B2	5/2003	Meine
6,282,317 B1	8/2001	Luo et al.	6,563,532 B1	5/2003	Strub et al.
6,283,860 B1	9/2001	Lyons et al.	6,570,555 B1	5/2003	Prevost et al.
6,287,252 B1	9/2001	Lugo	6,584,221 B1	6/2003	Moghaddam et al.
6,289,112 B1	9/2001	Jain et al.	6,591,239 B1	7/2003	McCall
6,289,140 B1	9/2001	Oliver	6,593,956 B1	7/2003	Potts et al.
6,294,993 B1	9/2001	Calaman	6,594,629 B1	7/2003	Basu et al.
6,299,308 B1	10/2001	Voronka et al.	6,603,858 B1	8/2003	Raicevich et al.
6,304,841 B1	10/2001	Berger et al.	6,606,280 B1	8/2003	Knittel
			6,608,615 B1	8/2003	Martins
			6,611,456 B2	8/2003	Kushnarenko
			6,611,661 B2	8/2003	Buck
			6,629,642 B1	10/2003	Swartz et al.

US 11,153,472 B2

Page 6

(56)

References Cited

U.S. PATENT DOCUMENTS

6,633,231	B1	10/2003	Okamoto et al.	6,927,694	B1	8/2005	Smith
6,633,294	B1	10/2003	Rosenthal et al.	6,934,461	B1	8/2005	Strub et al.
6,636,259	B1	10/2003	Anderson	6,934,684	B2	8/2005	Alpdemir et al.
6,637,883	B1	10/2003	Tengshe et al.	6,937,742	B2	8/2005	Roberts et al.
6,640,202	B1	10/2003	Dietz et al.	6,940,545	B1	9/2005	Ray et al.
6,654,721	B2	11/2003	Handelman	6,947,029	B2	9/2005	Akasaka et al.
6,658,389	B1	12/2003	Alpdemir	6,948,937	B2	9/2005	Tretiakoff et al.
6,658,572	B1	12/2003	Craig	6,950,534	B2	9/2005	Cohen et al.
6,661,918	B1	12/2003	Gordon et al.	6,952,525	B2	10/2005	Lee et al.
6,674,964	B2	1/2004	Irie	6,956,616	B2	10/2005	Jung et al.
6,675,075	B1	1/2004	Engelsberg et al.	6,959,095	B2	10/2005	Bakis et al.
6,678,398	B2	1/2004	Wolters et al.	6,964,023	B2	11/2005	Maes et al.
6,681,031	B2	1/2004	Cohen et al.	6,965,403	B2	11/2005	Endo
6,686,844	B2	2/2004	Murase et al.	6,970,185	B2	11/2005	Halverson
6,690,374	B2	2/2004	Park et al.	6,970,824	B2	11/2005	Hinde et al.
6,691,151	B1	2/2004	Cheyen et al.	6,971,072	B1	11/2005	Stein
6,704,044	B1	3/2004	Foster et al.	6,975,991	B2	12/2005	Basson et al.
6,704,415	B1	3/2004	Katayama et al.	6,983,245	B1	1/2006	Jimenez Felstrom et al.
6,704,422	B1	3/2004	Jensen	6,990,455	B2	1/2006	Vozick et al.
6,707,475	B1	3/2004	Snyder	6,993,482	B2	1/2006	Ahlenius
6,711,536	B2	3/2004	Rees	6,999,066	B2	2/2006	Litwiller
6,714,205	B1	3/2004	Miyashita et al.	7,003,134	B1	2/2006	Cowell et al.
6,714,665	B1	3/2004	Hanna et al.	7,006,764	B2	2/2006	Brost
6,715,003	B1	3/2004	Safai	7,010,263	B1	3/2006	Patsiokas
6,717,600	B2	4/2004	Dutta et al.	7,015,950	B1	3/2006	Pryor
6,721,001	B1	4/2004	Berstis	7,016,505	B1	3/2006	Nakadai et al.
6,724,873	B2	4/2004	Senna Da Silva	7,016,604	B2	3/2006	Stavely et al.
6,731,799	B1	5/2004	Sun et al.	7,020,290	B1	3/2006	Ribic
6,735,562	B1	5/2004	Zhang et al.	7,027,094	B2	4/2006	Battles et al.
6,738,066	B1	5/2004	Nguyen	7,027,565	B2	4/2006	Tateishi et al.
6,741,266	B1	5/2004	Kamiwada et al.	7,028,269	B1	4/2006	Cohen et al.
6,746,397	B2	6/2004	Lee et al.	7,031,439	B2	4/2006	Baxter
6,750,913	B1	6/2004	Noro et al.	7,031,477	B1	4/2006	Mella et al.
6,754,373	B1	6/2004	Cuetos et al.	7,032,182	B2	4/2006	Prabhu et al.
6,757,657	B1	6/2004	Kojima et al.	7,039,676	B1	5/2006	Day et al.
6,758,563	B2	7/2004	Levola	7,042,440	B2	5/2006	Pryor et al.
6,763,226	B1	7/2004	McZeal, Jr.	7,046,232	B2	5/2006	Gomi et al.
6,766,036	B1	7/2004	Pryor	7,046,300	B2	5/2006	Iyengar et al.
6,766,176	B1	7/2004	Gupta et al.	7,046,924	B2	5/2006	Miller et al.
6,771,294	B1	8/2004	Antoniatic et al.	7,050,606	B2	5/2006	Paul et al.
6,788,809	B1	9/2004	Grzeszczuk et al.	7,053,938	B1	5/2006	Sherry
6,793,128	B2	9/2004	Huffman	7,058,204	B2	6/2006	Hildreth et al.
6,795,558	B2	9/2004	Matsuo	7,058,409	B2	6/2006	Hänninen et al.
6,795,806	B1	9/2004	Lewis et al.	7,060,957	B2	6/2006	Lange et al.
6,798,890	B2	9/2004	Killion et al.	7,062,576	B2	6/2006	Ohmura et al.
6,801,637	B2	10/2004	Voronka et al.	7,075,579	B2	7/2006	Whitby et al.
6,802,382	B2	10/2004	Hattori et al.	7,076,293	B2	7/2006	Wang
6,803,887	B1	10/2004	Lauper et al.	7,080,014	B2	7/2006	Bush et al.
6,804,396	B2	10/2004	Higaki et al.	7,082,393	B2	7/2006	Lahr
6,807,529	B2	10/2004	Johnson et al.	7,084,859	B1	8/2006	Pryor
6,809,759	B1	10/2004	Chiang	7,085,590	B2	8/2006	Bates et al.
6,812,956	B2	11/2004	Ferren et al.	7,091,928	B2	8/2006	Rajasingham
6,812,968	B1	11/2004	Kermani	7,092,024	B2	8/2006	Ejima et al.
6,813,439	B2	11/2004	Misumi et al.	7,095,901	B2	8/2006	Lee et al.
6,813,603	B1	11/2004	Groner et al.	7,095,907	B1	8/2006	Berkner et al.
6,813,618	B1	11/2004	Loui et al.	7,099,920	B1	8/2006	Kojima et al.
6,817,982	B2	11/2004	Fritz et al.	7,107,378	B1	9/2006	Brewer et al.
6,825,769	B2	11/2004	Colmenarez et al.	7,110,553	B1	9/2006	Julstrom et al.
6,833,867	B1	12/2004	Anderson	7,110,582	B1	9/2006	Hay
6,842,175	B1	1/2005	Schmalstieg et al.	7,112,841	B2	9/2006	Eldridge et al.
6,842,670	B2	1/2005	Lin et al.	7,113,201	B1	9/2006	Taylor et al.
6,847,336	B1	1/2005	Lemelson et al.	7,113,918	B1	9/2006	Ahmad et al.
6,853,401	B2	2/2005	Fujii et al.	7,114,659	B2	10/2006	Harari et al.
6,853,972	B2	2/2005	Friedrich et al.	7,117,519	B1	10/2006	Anderson et al.
6,856,708	B1	2/2005	Aoki	7,120,586	B2	10/2006	Loui et al.
6,867,798	B1	3/2005	Wada et al.	7,121,946	B2	10/2006	Paul et al.
6,873,723	B1	3/2005	Aucsmith et al.	7,122,798	B2	10/2006	Shigenaka et al.
6,882,734	B2	4/2005	Watson et al.	7,127,401	B2	10/2006	Miller
6,882,971	B2	4/2005	Craner	7,133,031	B2	11/2006	Wang et al.
6,900,731	B2	5/2005	Kreiner et al.	7,133,608	B1	11/2006	Nagata et al.
6,911,972	B2	6/2005	Brinjes	7,133,937	B2	11/2006	Leavitt
6,912,499	B1	6/2005	Sabourin et al.	7,134,078	B2	11/2006	Vaara
6,919,927	B1	7/2005	Hyodo	7,142,197	B2	11/2006	Wang et al.
6,920,283	B2	7/2005	Goldstein	7,142,231	B2	11/2006	Chipchase et al.
6,920,654	B2	7/2005	Noguchi et al.	7,142,678	B2	11/2006	Falcon
				7,149,552	B2	12/2006	Lair
				7,149,688	B2	12/2006	Schalkwyk
				7,149,814	B2	12/2006	Neufeld et al.
				7,156,866	B1	1/2007	Riggs et al.

US 11,153,472 B2

Page 7

(56)

References Cited

U.S. PATENT DOCUMENTS

7,158,123 B2	1/2007	Myers et al.	7,408,439 B2	8/2008	Wang et al.
7,158,175 B2	1/2007	Belz et al.	7,415,416 B2	8/2008	Rees
7,163,151 B2	1/2007	Kiiskinen	7,417,683 B2	8/2008	Hirai
7,164,117 B2	1/2007	Breed	7,428,000 B2	9/2008	Cutler et al.
7,167,201 B2	1/2007	Stavely et al.	7,428,708 B2	9/2008	Okamoto et al.
7,168,804 B2	1/2007	Velazquez	7,430,312 B2	9/2008	Gu
7,170,492 B2	1/2007	Bell	7,430,503 B1	9/2008	Walker
7,173,722 B1	2/2007	Lapstun et al.	7,436,496 B2	10/2008	Kawahito
7,184,573 B2	2/2007	Malone et al.	7,437,488 B2	10/2008	Ito et al.
7,187,412 B1	3/2007	Silverstein	7,438,414 B2	10/2008	Rosenberg
7,187,764 B2	3/2007	Ruetschi	7,440,013 B2	10/2008	Funakura
7,190,825 B2	3/2007	Yoon	7,443,419 B2	10/2008	Anderson et al.
7,194,412 B2	3/2007	Mays	7,443,447 B2	10/2008	Shirakawa
7,202,898 B1	4/2007	Braun et al.	7,444,068 B2	10/2008	Obrador
7,206,022 B2	4/2007	Miller et al.	7,444,340 B2	10/2008	Padgett
7,209,995 B2	4/2007	Pinto et al.	7,446,368 B2	11/2008	Eldridge et al.
7,218,311 B2	5/2007	Akins	7,447,320 B2	11/2008	Bryson et al.
7,219,062 B2	5/2007	Colmenarez et al.	7,447,635 B1	11/2008	Konopka et al.
7,221,805 B1	5/2007	Bachelder	7,448,751 B2	11/2008	Kiderman et al.
7,222,078 B2	5/2007	Abelow	7,452,275 B2	11/2008	Kuraishi
7,227,526 B2	6/2007	Hildreth et al.	7,453,605 B2	11/2008	Parulski et al.
7,227,960 B2	6/2007	Kataoka	7,455,412 B2	11/2008	Rottcher
7,228,275 B1	6/2007	Endo et al.	7,461,094 B2	12/2008	Morris et al.
7,233,345 B2	6/2007	Yoneda	7,463,304 B2	12/2008	Murray
7,245,271 B2	7/2007	Burr et al.	7,468,744 B2	12/2008	Edwards et al.
7,247,139 B2	7/2007	Yudkovitch et al.	7,471,317 B2	12/2008	Seki
7,248,855 B2	7/2007	Joyce et al.	7,477,207 B2	1/2009	Estep
7,257,831 B1	8/2007	Ozawa	7,483,057 B2	1/2009	Grosvenor et al.
7,259,747 B2	8/2007	Bell	7,483,061 B2	1/2009	Fredlund et al.
7,259,785 B2	8/2007	Stavely et al.	7,489,812 B2	2/2009	Fox et al.
7,263,953 B2	9/2007	Sundararajan	7,492,116 B2	2/2009	Oleynikov et al.
7,271,827 B2	9/2007	Nister	7,493,312 B2	2/2009	Yin Liu et al.
7,272,562 B2	9/2007	Olorenshaw et al.	7,493,559 B1	2/2009	Wolff et al.
7,274,808 B2	9/2007	Ang et al.	7,499,642 B2	3/2009	Nakaya
7,283,854 B2	10/2007	Sato et al.	7,502,731 B2	3/2009	Emonts et al.
7,283,983 B2	10/2007	Dooley et al.	7,503,065 B1	3/2009	Packingham et al.
7,286,256 B2	10/2007	Herbert	7,505,056 B2	3/2009	Kurzweil et al.
7,287,737 B2	10/2007	Rossi	7,511,741 B2	3/2009	Son
7,295,978 B1	11/2007	Schwartz et al.	7,515,193 B2	4/2009	Honda
7,299,177 B2	11/2007	Broman et al.	7,515,825 B2	4/2009	Takashi
7,301,465 B2	11/2007	Tengshe et al.	7,518,631 B2	4/2009	Hershey et al.
7,305,344 B2	12/2007	Glynn et al.	7,518,641 B2	4/2009	Mashitani et al.
7,305,535 B2	12/2007	Harari et al.	7,522,065 B2	4/2009	Falcon
7,307,653 B2	12/2007	Dutta	7,526,735 B2	4/2009	Fischer et al.
7,308,112 B2	12/2007	Fujimura et al.	7,528,846 B2	5/2009	Zhang et al.
7,315,323 B2	1/2008	Ito	7,529,772 B2	5/2009	Singh
7,317,836 B2	1/2008	Fujimura et al.	7,536,032 B2	5/2009	Bell
7,319,962 B2	1/2008	Goedeke et al.	7,539,353 B2	5/2009	Kawada
7,321,763 B2	1/2008	Tanaka et al.	7,548,255 B2	6/2009	Adams et al.
7,321,853 B2	1/2008	Asano	7,551,354 B2	6/2009	Horsten et al.
7,324,649 B1	1/2008	Knapp et al.	7,557,850 B2	7/2009	Abe
7,324,943 B2	1/2008	Rigazio et al.	7,560,701 B2	7/2009	Oggier et al.
7,327,890 B2	2/2008	Fredlund	7,561,143 B1	7/2009	Milekic
7,340,766 B2	3/2008	Nagao et al.	7,561,201 B2	7/2009	Hong
7,346,176 B1	3/2008	Bernardi et al.	7,561,741 B2	7/2009	Lee Hyun et al.
7,346,374 B2	3/2008	Witkowski et al.	7,570,884 B2	8/2009	Nonaka
7,347,551 B2	3/2008	Ferguson et al.	7,574,020 B2	8/2009	Shamaie
7,348,963 B2	3/2008	Bell	7,576,727 B2	8/2009	Bell
7,349,722 B2	3/2008	Witkowski et al.	7,580,570 B2	8/2009	Manu et al.
7,362,490 B2	4/2008	Park	7,583,316 B2	9/2009	Miyashita et al.
7,362,966 B2	4/2008	Uchiyama	7,583,441 B2	9/2009	Taki
7,366,540 B2	4/2008	Ansari et al.	7,587,318 B2	9/2009	Seshadri
7,367,887 B2	5/2008	Watabe et al.	7,590,262 B2	9/2009	Fujimura et al.
7,373,389 B2	5/2008	Rosenbaum et al.	7,593,552 B2	9/2009	Higaki et al.
7,376,290 B2	5/2008	Anderson et al.	7,593,854 B2	9/2009	Belrose
7,379,563 B2	5/2008	Shamaie	7,598,942 B2	10/2009	Underkoffler et al.
7,379,566 B2	5/2008	Hildreth	7,600,201 B2	10/2009	Endler et al.
7,385,641 B2	6/2008	Ito	7,607,509 B2	10/2009	Schmiz et al.
7,389,591 B2	6/2008	Jaiswal et al.	7,612,766 B2	11/2009	Shintome
7,394,480 B2	7/2008	Song	7,617,108 B2	11/2009	Matsubara et al.
7,394,543 B2	7/2008	Crowther	7,619,660 B2	11/2009	Grosvenor
7,400,347 B2	7/2008	Krogmann et al.	7,620,202 B2	11/2009	Fujimura et al.
7,403,816 B2	7/2008	Ohkura	7,620,432 B2	11/2009	Willins et al.
7,405,754 B2	7/2008	Inoue Masashi	7,629,400 B2	12/2009	Hyman
7,406,408 B1	7/2008	Lackey et al.	7,630,878 B2	12/2009	Fingscheidt et al.
			7,643,985 B2	1/2010	Horvitz
			7,646,193 B2	1/2010	Yoshio et al.
			7,656,426 B2	2/2010	Yamaya
			7,657,062 B2	2/2010	Pilu

US 11,153,472 B2

Page 8

(56)

References Cited

U.S. PATENT DOCUMENTS

7,672,512 B2	3/2010	Cohen et al.	8,064,650 B2	11/2011	Webb
7,680,287 B2	3/2010	Amada et al.	8,072,740 B2	12/2011	Marks
7,684,016 B1	3/2010	Schaefer	8,073,690 B2	12/2011	Nakadai et al.
7,684,592 B2	3/2010	Paul et al.	8,085,994 B2	12/2011	Kim
7,684,982 B2	3/2010	Taneda	8,094,212 B2	1/2012	Jelinek
7,685,521 B1	3/2010	Ueda et al.	8,102,383 B2	1/2012	Cohen et al.
7,689,404 B2	3/2010	Khasin	8,106,066 B2	1/2012	Schumacher et al.
7,693,720 B2	4/2010	Kennewick et al.	8,115,868 B2	2/2012	Yang et al.
7,694,218 B2	4/2010	Masuda et al.	8,117,623 B1	2/2012	Malasky et al.
7,698,125 B2	4/2010	Graehl et al.	8,125,444 B2	2/2012	Noerager
7,702,130 B2	4/2010	Ho et al.	8,140,813 B2	3/2012	Ozceri et al.
7,702,516 B2	4/2010	Fellenstein et al.	8,165,341 B2	4/2012	Rhoads
7,702,821 B2	4/2010	Feinberg et al.	8,175,883 B2	5/2012	Grant et al.
7,704,135 B2	4/2010	Harrison, Jr.	8,176,515 B2	5/2012	Ahmad et al.
7,706,553 B2	4/2010	Brown	8,213,633 B2	7/2012	Kobayashi et al.
7,707,035 B2	4/2010	McCune	8,214,196 B2	7/2012	Yamada et al.
7,710,391 B2	5/2010	Bell et al.	8,224,776 B1	7/2012	Anderson et al.
7,714,880 B2	5/2010	Johnson	8,226,011 B2	7/2012	Merkli et al.
7,716,050 B2	5/2010	Gillick	8,229,252 B2	7/2012	Cohen et al.
7,742,073 B1	6/2010	Brodsky et al.	8,232,979 B2	7/2012	Cohen et al.
7,760,191 B2	7/2010	Cohen et al.	8,234,106 B2	7/2012	Marcu et al.
7,761,297 B2	7/2010	Lee	8,237,809 B2	8/2012	Mertens
7,764,290 B2	7/2010	Fredlund et al.	8,238,722 B2	8/2012	Bhadrakamkar
7,764,320 B1	7/2010	Salvato	8,244,542 B2	8/2012	Claudatos et al.
7,772,796 B2	8/2010	Farritor et al.	8,290,313 B2	10/2012	Cohen et al.
7,778,438 B2	8/2010	Malone	8,296,127 B2	10/2012	Marcu et al.
7,782,365 B2	8/2010	Levien et al.	8,332,224 B2	12/2012	Di Cristo et al.
7,783,022 B1	8/2010	Jay et al.	8,339,420 B2	12/2012	Hiraoka
7,783,063 B2	8/2010	Pocino et al.	8,341,522 B2	12/2012	Jung et al.
7,809,197 B2	10/2010	Fedorovskaya et al.	8,345,105 B2	1/2013	Fisher et al.
7,809,570 B2	10/2010	Kennewick et al.	8,350,683 B2	1/2013	DeLine et al.
7,813,597 B2	10/2010	Cohen et al.	8,350,946 B2	1/2013	Jung et al.
7,815,507 B2	10/2010	Parrott et al.	8,381,135 B2	2/2013	Hotelling et al.
7,821,541 B2	10/2010	Delean	8,384,668 B2	2/2013	Barney et al.
7,822,613 B2	10/2010	Matsubara et al.	8,386,909 B2	2/2013	Lin
7,843,495 B2	11/2010	Aas et al.	8,396,242 B2	3/2013	Watanabe
7,848,535 B2	12/2010	Akino	8,407,201 B2	3/2013	Wu et al.
7,849,475 B2	12/2010	Covell et al.	8,429,244 B2	4/2013	Naimark et al.
7,853,050 B2	12/2010	Wang et al.	8,457,614 B2	6/2013	Bernard et al.
7,864,937 B2	1/2011	Bathurst et al.	8,460,103 B2	6/2013	Mattice et al.
7,869,578 B2	1/2011	Evans et al.	8,467,672 B2	6/2013	Konicek
7,869,636 B2	1/2011	Korotkov	8,543,906 B2	9/2013	Chidlovskii et al.
7,872,675 B2	1/2011	Levien et al.	8,548,794 B2	10/2013	Koehn
7,876,334 B2	1/2011	Bychkov et al.	8,558,921 B2	10/2013	Walker et al.
7,876,357 B2	1/2011	Jung et al.	8,571,851 B1	10/2013	Tickner et al.
7,884,849 B2	2/2011	Yin et al.	8,582,831 B2	11/2013	Miura
7,890,862 B2	2/2011	Kompe et al.	8,587,514 B2	11/2013	Lundström
7,896,869 B2	3/2011	DiSilvestro et al.	8,594,341 B2	11/2013	Rothschild
7,898,563 B2	3/2011	Park	8,599,174 B2	12/2013	Cohen et al.
7,904,023 B2	3/2011	Viitamäki et al.	8,600,669 B2	12/2013	Skarine
7,907,199 B2	3/2011	Seki et al.	8,600,728 B2	12/2013	Knight et al.
7,907,638 B2	3/2011	Norhammar et al.	8,606,383 B2	12/2013	Jung et al.
7,908,629 B2	3/2011	Lewis	8,614,760 B2	12/2013	Nobels
7,916,849 B2	3/2011	Bathurst et al.	8,625,880 B2	1/2014	Shillman et al.
7,917,367 B2	3/2011	Cristo et al.	8,631,322 B2	1/2014	Isomura et al.
7,920,102 B2	4/2011	Breed	8,634,575 B2	1/2014	Williams
7,920,169 B2	4/2011	Jung et al.	8,640,959 B2	2/2014	Cohen et al.
7,940,299 B2	5/2011	Geng	8,644,525 B2	2/2014	Bathurst et al.
7,940,897 B2	5/2011	Khor et al.	8,645,325 B2	2/2014	Anderson et al.
7,942,816 B2	5/2011	Satoh et al.	8,661,333 B2	2/2014	Matsuda et al.
7,949,529 B2	5/2011	Weider et al.	8,666,725 B2	3/2014	Och
7,957,766 B2	6/2011	Gong et al.	8,668,584 B2	3/2014	Wels
7,960,935 B2	6/2011	Farritor et al.	8,670,632 B2	3/2014	Wilson
7,983,917 B2	7/2011	Kennewick et al.	8,681,225 B2	3/2014	Levien et al.
7,990,413 B2	8/2011	Good	8,682,005 B2	3/2014	Watson et al.
8,023,998 B2	9/2011	Croome	8,684,839 B2	4/2014	Mattice et al.
8,031,853 B2	10/2011	Bathurst et al.	8,687,820 B2	4/2014	Truong et al.
8,035,624 B2	10/2011	Bell et al.	8,699,869 B2	4/2014	Kamimura
8,036,893 B2	10/2011	Reich	8,711,188 B2	4/2014	Albrecht et al.
8,037,229 B2	10/2011	Zer et al.	8,745,541 B2	6/2014	Wilson et al.
8,042,044 B2	10/2011	Leeuwen	8,750,513 B2	6/2014	Renkis
8,045,050 B2	10/2011	Nogo et al.	8,761,840 B2	6/2014	Dunko
8,046,504 B2	10/2011	Feinberg et al.	8,768,099 B2	7/2014	Derrenberger et al.
8,046,818 B2	10/2011	Ngo	8,781,191 B2	7/2014	Lang et al.
8,059,921 B2	11/2011	Frohlich et al.	8,819,596 B2	8/2014	Holopainen et al.
			8,831,951 B2	9/2014	Cohen
			8,843,950 B2	9/2014	Zhang
			8,848,987 B2	9/2014	Nölle et al.
			8,886,517 B2	11/2014	Soricut et al.

US 11,153,472 B2

Page 9

(56)

References Cited

U.S. PATENT DOCUMENTS

8,902,320 B2	12/2014	Jung et al.	2002/0051638 A1	5/2002	Arakawa	
8,921,473 B1	12/2014	Hyman	2002/0054030 A1	5/2002	Murphy	
8,970,725 B2	3/2015	Dekker et al.	2002/0054175 A1	5/2002	Miettinen et al.	
8,988,537 B2	3/2015	Jung et al.	2002/0059215 A1	5/2002	Kotani et al.	
9,001,215 B2	4/2015	Jung et al.	2002/0068600 A1	6/2002	Chihara et al.	
9,041,826 B2	5/2015	Jung et al.	2002/0071277 A1	6/2002	Ashbrook et al.	
9,082,456 B2	7/2015	Jung et al.	2002/0072918 A1	6/2002	White et al.	
9,098,826 B2	8/2015	Jung et al.	2002/0076100 A1	6/2002	Luo	
9,098,958 B2	8/2015	Joyce et al.	2002/0080239 A1	6/2002	Fujii et al.	
9,100,742 B2	8/2015	Pearah	2002/0080251 A1	6/2002	Moriwaki	
9,124,729 B2	9/2015	Jung et al.	2002/0080257 A1	6/2002	Blank	
9,152,840 B2	10/2015	Puolitaival et al.	2002/0082844 A1	6/2002	Van Gestel	
9,155,373 B2	10/2015	Allen et al.	2002/0087546 A1 *	7/2002	Slater	G06F 16/48
9,191,611 B2	11/2015	Levien et al.	2002/0089543 A1	7/2002	Ostergaard et al.	
9,239,677 B2	1/2016	Ordin	2002/0091511 A1	7/2002	Hellwig et al.	
9,274,598 B2	3/2016	Beymer et al.	2002/0097218 A1	7/2002	Gutta et al.	
9,325,781 B2	4/2016	Jung et al.	2002/0101539 A1	8/2002	Yokota	
9,342,829 B2	5/2016	Zhou et al.	2002/0101568 A1	8/2002	Eberl et al.	
9,451,200 B2	9/2016	Levien et al.	2002/0101619 A1	8/2002	Tsubaki et al.	
9,467,642 B2	10/2016	Hiraide et al.	2002/0103651 A1	8/2002	Alexander et al.	
9,489,671 B2	11/2016	Zhou et al.	2002/0103813 A1	8/2002	Frigon	
9,489,717 B2	11/2016	Jung et al.	2002/0105482 A1	8/2002	Lemelson et al.	
9,600,832 B2	3/2017	Zhou	2002/0105575 A1	8/2002	Hinde	
9,621,749 B2	4/2017	Jung et al.	2002/0106041 A1	8/2002	Chang et al.	
9,646,614 B2	5/2017	Bellegarda et al.	2002/0107694 A1	8/2002	Lerg	
9,652,032 B2	5/2017	Mitchell	2002/0116197 A1	8/2002	Erten	
9,652,042 B2	5/2017	Oliver et al.	2002/0120643 A1	8/2002	Iyengar et al.	
9,659,212 B2	5/2017	Nguyen et al.	2002/0140803 A1	10/2002	Gutta et al.	
9,691,388 B2	6/2017	Bodin et al.	2002/0150869 A1	10/2002	Shapiro	
9,704,502 B2	7/2017	Malamud et al.	2002/0166557 A1	11/2002	Cooper	
9,779,750 B2	10/2017	Allen et al.	2002/0178010 A1	11/2002	Weaver et al.	
9,819,490 B2	11/2017	Jung et al.	2002/0188571 A1	12/2002	Pilgrim	
9,910,341 B2	3/2018	Jung et al.	2002/0188693 A1	12/2002	Simpson et al.	
9,942,420 B2	4/2018	Rao et al.	2002/0191076 A1	12/2002	Wada et al.	
9,943,372 B2	4/2018	Sholev et al.	2002/0194414 A1 *	12/2002	Bateman	G06F 1/1632 710/303
10,003,762 B2	6/2018	Jung et al.	2002/0196358 A1	12/2002	Kim	
10,039,445 B1	8/2018	Torch	2002/0196360 A1	12/2002	Miyadera	
10,055,046 B2	8/2018	Lengeling et al.	2003/0001908 A1	1/2003	Cohen	
10,076,705 B2	9/2018	Deshpande et al.	2003/0001949 A1	1/2003	Obata et al.	
10,097,756 B2	10/2018	Levien et al.	2003/0004727 A1	1/2003	Keiller	
10,126,828 B2	11/2018	Amento et al.	2003/0004728 A1	1/2003	Keiller	
10,318,871 B2	6/2019	Cheyet et al.	2003/0009329 A1	1/2003	Stahl et al.	
10,460,346 B2	10/2019	Decre et al.	2003/0009335 A1	1/2003	Schalkwyk et al.	
10,488,950 B2	11/2019	Wilson	2003/0016856 A1	1/2003	Walker et al.	
10,514,816 B2	12/2019	Jung et al.	2003/0018472 A1	1/2003	Hershkovits et al.	
10,545,645 B2	1/2020	Kim et al.	2003/0023439 A1	1/2003	Ciurpita et al.	
10,551,930 B2	2/2020	Oliver	2003/0030731 A1	2/2003	Colby	
10,721,066 B2	7/2020	Malone	2003/0032435 A1	2/2003	Asada et al.	
10,915,171 B2	2/2021	Shell et al.	2003/0035084 A1	2/2003	Makino	
10,966,239 B1	3/2021	Lewis	2003/0040910 A1	2/2003	Bruwer	
2001/0010543 A1	8/2001	Ward et al.	2003/0043271 A1	3/2003	Dantwala	
2001/0012065 A1	8/2001	Ejima et al.	2003/0055653 A1	3/2003	Ishii et al.	
2001/0012066 A1	8/2001	Parulski et al.	2003/0063208 A1	4/2003	Kazami	
2001/0014835 A1	8/2001	Gauthier et al.	2003/0075067 A1	4/2003	Welch et al.	
2001/0015751 A1	8/2001	Geng	2003/0076312 A1	4/2003	Yokoyama	
2001/0019359 A1	9/2001	Parulski et al.	2003/0076408 A1	4/2003	Dutta	
2001/0020777 A1	9/2001	Johnson et al.	2003/0076980 A1	4/2003	Zhang et al.	
2001/0022618 A1	9/2001	Ward et al.	2003/0081738 A1	5/2003	Kohnle et al.	
2001/0028474 A1	10/2001	Parulski et al.	2003/0083872 A1	5/2003	Kikinis	
2001/0030773 A1	10/2001	Matsuura et al.	2003/0090572 A1	5/2003	Belz et al.	
2001/0034783 A1	10/2001	Kitamura	2003/0095154 A1	5/2003	Colmenarez	
2001/0048774 A1	12/2001	Seki et al.	2003/0101052 A1	5/2003	Chen et al.	
2001/0051874 A1	12/2001	Tsuji	2003/0112267 A1	6/2003	Belrose	
2001/0054183 A1	12/2001	Curreri	2003/0114202 A1	6/2003	Suh et al.	
2001/0056342 A1	12/2001	Piehn et al.	2003/0115167 A1	6/2003	Sharif et al.	
2002/0005907 A1	1/2002	Alten	2003/0120183 A1	6/2003	Simmons	
2002/0007510 A1	1/2002	Mann	2003/0122507 A1	7/2003	Gutta et al.	
2002/0008765 A1	1/2002	Ejima et al.	2003/0122777 A1	7/2003	Grover	
2002/0013701 A1	1/2002	Oliver et al.	2003/0132950 A1	7/2003	Surucu et al.	
2002/0015037 A1	2/2002	Moore et al.	2003/0133015 A1	7/2003	Jackel et al.	
2002/0019584 A1	2/2002	Schulze et al.	2003/0133577 A1	7/2003	Yoshida	
2002/0030831 A1	3/2002	Kinjo	2003/0142041 A1	7/2003	Barlow et al.	
2002/0047905 A1	4/2002	Kinjo	2003/0142215 A1	7/2003	Ward et al.	
2002/0049589 A1	4/2002	Poirier	2003/0154078 A1	8/2003	Rees	
2002/0051074 A1	5/2002	Kawaoka et al.	2003/0163289 A1	8/2003	Whelan et al.	
			2003/0163313 A1	8/2003	Rees	
			2003/0163324 A1	8/2003	Abbasi	
			2003/0163325 A1	8/2003	Maase	

US 11,153,472 B2

Page 10

(56)

References Cited

U.S. PATENT DOCUMENTS

2003/0175010	A1	9/2003	Nomura et al.	2005/0007468	A1	1/2005	Stavely et al.
2003/0177012	A1	9/2003	Drennan	2005/0007552	A1	1/2005	Ferguson et al.
2003/0179888	A1	9/2003	Burnett et al.	2005/0014998	A1	1/2005	Korotkov
2003/0182130	A1	9/2003	Sun et al.	2005/0015710	A1	1/2005	Williams
2003/0184651	A1	10/2003	Ohsawa et al.	2005/0030296	A1	2/2005	Stohrer et al.
2003/0189642	A1	10/2003	Bean et al.	2005/0036034	A1	2/2005	Rea et al.
2003/0200089	A1	10/2003	Nakagawa et al.	2005/0047629	A1	3/2005	Farrell et al.
2003/0202243	A1	10/2003	Boys et al.	2005/0048918	A1	3/2005	Frost et al.
2003/0204403	A1	10/2003	Browning	2005/0052548	A1	3/2005	Delaney
2003/0206491	A1	11/2003	Pacheco et al.	2005/0052558	A1	3/2005	Hikeki et al.
2003/0210255	A1	11/2003	Hiraki	2005/0055479	A1	3/2005	Zer et al.
2003/0214524	A1	11/2003	Oka	2005/0055636	A1	3/2005	Graves
2003/0215128	A1	11/2003	Thompson	2005/0060142	A1	3/2005	Visser et al.
2003/0222892	A1	12/2003	Diamond et al.	2005/0068171	A1	3/2005	Kelliher et al.
2003/0234878	A1	12/2003	Yang	2005/0086056	A1	4/2005	Yoda et al.
2004/0001588	A1	1/2004	Hairston	2005/0090201	A1	4/2005	Lengies et al.
2004/0003151	A1	1/2004	Bateman et al.	2005/0093976	A1	5/2005	Valleriano et al.
2004/0003341	A1	1/2004	alSafadi et al.	2005/0094019	A1	5/2005	Grosvenor et al.
2004/0004737	A1*	1/2004	Kahn	2005/0096034	A1	5/2005	Petermann
		 H04N 1/00151	2005/0096084	A1	5/2005	Pohja et al.
			358/1.15	2005/0097173	A1	5/2005	Johns et al.
2004/0005915	A1	1/2004	Hunter	2005/0100224	A1	5/2005	Henry et al.
2004/0008263	A1	1/2004	Sayers et al.	2005/0102133	A1	5/2005	Rees
2004/0015364	A1	1/2004	Sulc	2005/0102141	A1	5/2005	Chikuri
2004/0037450	A1	2/2004	Bradski	2005/0102148	A1	5/2005	Rogitz
2004/0040086	A1	3/2004	Eisenberg et al.	2005/0102167	A1	5/2005	Kapoor
2004/0041904	A1	3/2004	Lapalme et al.	2005/0104958	A1	5/2005	Egnal et al.
2004/0041921	A1	3/2004	Coates	2005/0114131	A1	5/2005	Stoimenov et al.
2004/0051804	A1	3/2004	Veturino et al.	2005/0114357	A1	5/2005	Chengalvarayan et al.
2004/0054358	A1	3/2004	Cox et al.	2005/0118990	A1	6/2005	Stephens
2004/0054539	A1	3/2004	Simpson	2005/0119894	A1	6/2005	Cutler et al.
2004/0056870	A1	3/2004	Shimoyama et al.	2005/0122404	A1	6/2005	Liu
2004/0059573	A1	3/2004	Cheong	2005/0128192	A1	6/2005	Heintzman et al.
2004/0061783	A1	4/2004	Choi et al.	2005/0128311	A1	6/2005	Rees et al.
2004/0064834	A1	4/2004	Kuwata	2005/0130611	A1	6/2005	Lu et al.
2004/0070670	A1	4/2004	Foster	2005/0131685	A1	6/2005	Roth et al.
2004/0080624	A1	4/2004	Yuen	2005/0134685	A1	6/2005	Egnal et al.
2004/0082341	A1	4/2004	Stanforth	2005/0137786	A1	6/2005	Breed et al.
2004/0085454	A1	5/2004	Liao	2005/0146609	A1	7/2005	Creamer et al.
2004/0087838	A1	5/2004	Galloway et al.	2005/0146612	A1	7/2005	Ward et al.
2004/0095395	A1	5/2004	Kurtenbach	2005/0146620	A1	7/2005	Jour et al.
2004/0100505	A1	5/2004	Cazier	2005/0146621	A1	7/2005	Tanaka et al.
2004/0103111	A1	5/2004	Miller et al.	2005/0146746	A1	7/2005	Parulski et al.
2004/0109096	A1	6/2004	Anderson et al.	2005/0149334	A1	7/2005	Chen
2004/0109150	A1	6/2004	Igarashi	2005/0149336	A1	7/2005	Cooley
2004/0119754	A1	6/2004	Bangalore et al.	2005/0149979	A1	7/2005	Creamer et al.
2004/0125220	A1	7/2004	Fukuda et al.	2005/0159955	A1	7/2005	Oerder
2004/0139929	A1	7/2004	Nightlinger et al.	2005/0164148	A1	7/2005	Sinclair
2004/0140971	A1	7/2004	Yamazaki et al.	2005/0168579	A1	8/2005	Imamura
2004/0143440	A1	7/2004	Prasad et al.	2005/0171955	A1	8/2005	Hull et al.
2004/0145660	A1	7/2004	Kusaka	2005/0179811	A1	8/2005	Palatov
2004/0160463	A1	8/2004	Battles et al.	2005/0181774	A1	8/2005	Miyata
2004/0172419	A1	9/2004	Morris et al.	2005/0181806	A1	8/2005	Dowling et al.
2004/0189856	A1	9/2004	Tanaka	2005/0192808	A1	9/2005	Sugiyama
2004/0190874	A1	9/2004	Lei et al.	2005/0195309	A1	9/2005	Kim et al.
2004/0192421	A1	9/2004	Kawahara	2005/0200478	A1	9/2005	Koch et al.
2004/0193326	A1	9/2004	Phillips et al.	2005/0200718	A1	9/2005	Lee
2004/0196399	A1	10/2004	Stavely	2005/0202844	A1	9/2005	Jabri et al.
2004/0196400	A1	10/2004	Battles et al.	2005/0203740	A1	9/2005	Chambers et al.
2004/0201681	A1	10/2004	Chen et al.	2005/0212765	A1	9/2005	Ogino
2004/0201709	A1	10/2004	Mcintyre et al.	2005/0212817	A1	9/2005	Cannon et al.
2004/0201738	A1	10/2004	Moore et al.	2005/0213147	A1	9/2005	Minatogawa
2004/0205655	A1	10/2004	Wu	2005/0216862	A1	9/2005	Shinohara et al.
2004/0212713	A1	10/2004	Takemoto et al.	2005/0219396	A1	10/2005	Tella
2004/0215464	A1	10/2004	Nelson	2005/0249023	A1	11/2005	Bodlaender
2004/0218045	A1	11/2004	Bodnar et al.	2005/0254813	A1	11/2005	Brendzel
2004/0233173	A1	11/2004	Bryant	2005/0259173	A1	11/2005	Nakajima et al.
2004/0246272	A1	12/2004	Ramian	2005/0266839	A1*	12/2005	Paul
2004/0246386	A1	12/2004	Thomas et al.			 H04N 1/00244
2004/0256009	A1	12/2004	Valenzuela	2005/0267676	A1	12/2005	Nezu et al.
2004/0260554	A1	12/2004	Connell et al.	2005/0271117	A1	12/2005	Grassl et al.
2004/0264726	A1	12/2004	Gauger, Jr. et al.	2005/0273489	A1	12/2005	Pecht et al.
2004/0267521	A1	12/2004	Cutler et al.	2005/0275632	A1	12/2005	Pu et al.
2005/0001024	A1*	1/2005	Kusaka	2006/0005629	A1	1/2006	Tokunaga et al.
		 G06F 3/041	2006/0008256	A1	1/2006	Khedouri et al.
			235/375	2006/0013197	A1*	1/2006	Anderson
2005/0001902	A1	1/2005	Brogan et al.			 H04W 12/062
				2006/0013446	A1	1/2006	Stephens
				2006/0017832	A1	1/2006	Kemppinen

US 11,153,472 B2

Page 11

(56)

References Cited

U.S. PATENT DOCUMENTS

2006/0017833	A1	1/2006	Gong et al.		2006/0289348	A1	12/2006	Steinbeck
2006/0030956	A1	2/2006	Kumar		2007/0003140	A1	1/2007	Morita et al.
2006/0031126	A1 *	2/2006	Ma	G06Q 30/0601 705/26.1	2007/0003168	A1	1/2007	Oliver
					2007/0013662	A1	1/2007	Fauth
2006/0035651	A1	2/2006	Arponen et al.		2007/0021068	A1	1/2007	Dewhurst
2006/0036441	A1	2/2006	Hirota		2007/0030351	A1	2/2007	Blancoj et al.
2006/0036947	A1	2/2006	Crenshaw et al.		2007/0046641	A1	3/2007	Lim
2006/0041632	A1	2/2006	Shah et al.		2007/0046694	A1	3/2007	Aizikowitz et al.
2006/0044285	A1	3/2006	Ito et al.		2007/0050433	A1	3/2007	Kim
2006/0061544	A1	3/2006	Ho et al.		2007/0057912	A1	3/2007	Cupal et al.
2006/0061663	A1	3/2006	Park		2007/0058990	A1	3/2007	Weaver et al.
2006/0066744	A1	3/2006	Stavely et al.		2007/0063979	A1	3/2007	Tran
2006/0075344	A1	4/2006	Jung et al.		2007/0067054	A1	3/2007	Danish
2006/0078275	A1	4/2006	Oowa		2007/0067707	A1	3/2007	Travis et al.
2006/0085187	A1	4/2006	Barquilla		2007/0081090	A1	4/2007	Singh
2006/0090132	A1	4/2006	Jung et al.		2007/0081744	A1	4/2007	Gokturk et al.
2006/0092291	A1	5/2006	Bodie		2007/0085914	A1	4/2007	Lim
2006/0097993	A1	5/2006	Hietala et al.		2007/0086773	A1	4/2007	Hansson et al.
2006/0099995	A1	5/2006	Kim et al.		2007/0088556	A1	4/2007	Andrew
2006/0101116	A1	5/2006	Rittman et al.		2007/0100632	A1	5/2007	Aubauer
2006/0101464	A1	5/2006	Dohrmann		2007/0123251	A1	5/2007	McElvaney
2006/0103627	A1	5/2006	Watanabe et al.		2007/0124694	A1	5/2007	Sluis et al.
2006/0103762	A1	5/2006	Ly Ha et al.		2007/0127575	A1	6/2007	Ho
2006/0104454	A1	5/2006	Guitarte et al.		2007/0132413	A1	6/2007	Mays
2006/0109201	A1	5/2006	Lee et al.		2007/0242269	A1	10/2007	Trainer
2006/0109242	A1	5/2006	Simpkins		2007/0262965	A1	11/2007	Hirai et al.
2006/0114337	A1	6/2006	Rothschild		2007/0273611	A1	11/2007	Torch
2006/0114338	A1	6/2006	Rothschild		2008/0019489	A1	1/2008	Lynn
2006/0114514	A1	6/2006	Rothschild		2008/0024594	A1	1/2008	Ritchey
2006/0114516	A1	6/2006	Rothschild		2008/0026838	A1	1/2008	Dunstan et al.
2006/0120712	A1	6/2006	Kim		2008/0082426	A1	4/2008	Gokturk et al.
2006/0129908	A1	6/2006	Markel		2008/0096587	A1	4/2008	Rubinstein
2006/0132431	A1	6/2006	Eliezer et al.		2008/0163416	A1	7/2008	Go
2006/0132624	A1	6/2006	Yuyama		2008/0174547	A1	7/2008	Kanevsky et al.
2006/0136221	A1	6/2006	James et al.		2008/0177640	A1	7/2008	Gokturk et al.
2006/0139459	A1	6/2006	Zhong		2008/0215337	A1	9/2008	Greene et al.
2006/0140420	A1	6/2006	Machida		2008/0225001	A1	9/2008	Lefebure et al.
2006/0142740	A1	6/2006	Sherman et al.		2008/0229198	A1	9/2008	Jung et al.
2006/0143017	A1	6/2006	Sonoura et al.		2008/0239085	A1	10/2008	Kruijtzter
2006/0143607	A1	6/2006	Morris		2008/0249777	A1	10/2008	Thelen
2006/0143684	A1	6/2006	Morris		2008/0273764	A1	11/2008	Scholl
2006/0146009	A1	7/2006	Koviunien et al.		2008/0285886	A1	11/2008	Allen
2006/0155549	A1	7/2006	Miyazaki		2008/0288895	A1	11/2008	Hollemans et al.
2006/0158426	A1	7/2006	Hagiwara		2008/0309761	A1	12/2008	Kienzle et al.
2006/0166620	A1	7/2006	Sorensen		2009/0015509	A1	1/2009	Gottwald et al.
2006/0170669	A1	8/2006	Garcia et al.		2009/0018419	A1	1/2009	Torch
2006/0176305	A1	8/2006	Arcas et al.		2009/0018432	A1	1/2009	He et al.
2006/0182045	A1	8/2006	Anderson		2009/0018828	A1	1/2009	Nakadai et al.
2006/0187212	A1	8/2006	Park et al.		2009/0030552	A1	1/2009	Nakadai et al.
2006/0189349	A1 *	8/2006	Montulli	H04N 1/00204 455/556.1	2009/0043580	A1	2/2009	Mozer et al.
					2009/0067590	A1	3/2009	Bushey et al.
2006/0192775	A1	8/2006	Demaio et al.		2009/0092955	A1	4/2009	Hwang
2006/0206331	A1	9/2006	Hennecke et al.		2009/0215503	A1	8/2009	Zhang et al.
2006/0208169	A1	9/2006	Breed		2009/0227283	A1	9/2009	Pylvanainen
2006/0209013	A1	9/2006	Fengels		2009/0247245	A1	10/2009	Strawn et al.
2006/0215035	A1	9/2006	Kulas		2009/0280873	A1	11/2009	Burson
2006/0215041	A1	9/2006	Kobayashi		2009/0316006	A1	12/2009	Vau et al.
2006/0221197	A1	10/2006	Jung et al.		2010/0063280	A1	3/2010	Seshadri
2006/0222216	A1	10/2006	Harris et al.		2010/0205667	A1	8/2010	Anderson et al.
2006/0223503	A1	10/2006	Muhonen et al.		2011/0043617	A1	2/2011	Vertegaal et al.
2006/0232551	A1	10/2006	Matta		2012/0206050	A1	8/2012	Spero
2006/0238550	A1	10/2006	Page		2012/0308039	A1	12/2012	Kobayash et al.
2006/0239672	A1	10/2006	Yost et al.		2013/0010208	A1	1/2013	Chiang
2006/0250505	A1	11/2006	Gennetten et al.		2013/0016120	A1	1/2013	Karmanenko et al.
2006/0251338	A1	11/2006	Gokturk et al.		2013/0114943	A1	5/2013	Ejima et al.
2006/0251339	A1	11/2006	Gokturk et al.		2013/0155309	A1	6/2013	Hill et al.
2006/0256082	A1	11/2006	Cho et al.		2013/0158367	A1	6/2013	Pacione
2006/0257827	A1	11/2006	Ellenson		2013/0215014	A1	8/2013	Pryor
2006/0262192	A1	11/2006	Ejima		2013/0257709	A1	10/2013	Raffle
2006/0266371	A1	11/2006	Vainshelboim et al.		2014/0070262	A1	3/2014	Karmarkar et al.
2006/0267927	A1	11/2006	Augustine et al.		2014/0104197	A1	4/2014	Khosravy et al.
2006/0271612	A1	11/2006	Ritter et al.		2014/0206479	A1	7/2014	Marty et al.
2006/0282472	A1	12/2006	Ng et al.		2014/0282196	A1	9/2014	Zhao et al.
2006/0282572	A1	12/2006	Steinberg et al.		2014/0347363	A1	11/2014	Kaburlasos
2006/0284969	A1	12/2006	Kim et al.		2015/0029322	A1	1/2015	Ragland et al.
					2015/0312397	A1	10/2015	Chiang
					2016/0218884	A1	7/2016	Ebrom et al.

US 11,153,472 B2

Page 12

(56)	References Cited			EP	1113416	7/2001
	U.S. PATENT DOCUMENTS			EP	1143724	10/2001
				EP	1148703	10/2001
				EP	1465420	10/2001
2017/0161720	A1	6/2017	Xing et al.	EP	1180903	2/2002
2019/0058847	A1	2/2019	Mayer et al.	EP	1391806	2/2002
2020/0408965	A1	12/2020	Karam	EP	1159670	9/2002
				EP	1075760	11/2002
				EP	1271095	1/2003
				EP	1271346	1/2003
				EP	1293927	3/2003
				EP	1062800	4/2003
CA	2498505	8/2006		EP	1066717	5/2003
CA	2423142	3/2013		EP	1315146	5/2003
CN	2409562	12/2000		EP	1186162	7/2003
CN	1338863	3/2002		EP	1344445	9/2003
CN	1391690	1/2003		EP	1351544	10/2003
CN	1394299	1/2003		EP	1377041	1/2004
CN	1412687	4/2003		EP	1400814	3/2004
CN	2591682	12/2003		EP	1404105	3/2004
CN	1507268	6/2004		EP	1404108	3/2004
CN	2717364	8/2005		EP	1406133	4/2004
CN	1954292	4/2007		EP	1455529	9/2004
CN	100345085	10/2007		EP	1471466	10/2004
CN	101262813	9/2008		EP	1472679	11/2004
CN	100454388	1/2009		EP	1475968	11/2004
CN	100542848	9/2009		EP	1491980	12/2004
DE	3102208	12/1981		EP	0890156	1/2005
DE	3219242	1/1983		EP	1503581	2/2005
DE	3238853	5/1983		EP	1552698	7/2005
DE	4022511	1/1992		EP	1558028	7/2005
DE	29510157	U1 8/1995		EP	1596362	11/2005
DE	19529571	2/1997		EP	1604350	* 12/2005
DE	19856798	12/1999		EP	1613061	1/2006
DE	19829568	1/2000		EP	1621017	2/2006
DE	10022321	11/2001		EP	1622349	2/2006
DE	10313019	B4 2/2005		EP	1626574	2/2006
DE	102004038965	3/2005		EP	1661122	5/2006
EP	0078015	5/1983		EP	1662362	5/2006
EP	0078016	5/1983		EP	1045586	8/2006
EP	0094449	11/1983		EP	1690410	8/2006
EP	0300648	1/1989		EP	1696363	8/2006
EP	0342628	11/1989		EP	1704710	* 9/2006
EP	0350957	1/1990		EP	1284080	* 11/2006
EP	0376618	7/1990		EP	1721452	11/2006
EP	0407914	7/1990		EP	1751741	2/2007
EP	0387341	9/1990		EP	1755441	2/2007
EP	0317758	2/1993		EP	1538821	8/2007
EP	0547357	6/1993		EP	1082671	3/2008
EP	0583061	2/1994		EP	1027627	2/2009
EP	0588161	3/1994		EP	2096405	9/2009
EP	0589622	3/1994		EP	2264895	12/2010
EP	0620941	10/1994		EP	1693827	3/2011
EP	0699940	3/1996		EP	1314151	5/2011
EP	0699941	3/1996		EP	2325722	5/2011
EP	0714586	6/1996		EP	0899650	6/2011
EP	0729266	8/1996		EP	1938573	8/2011
EP	0739121	10/1996		EP	1130906	9/2011
EP	0742679	11/1996		EP	1569076	1/2012
EP	0765079	3/1997		EP	2261778	2/2012
EP	0776130	5/1997		EP	1371233	4/2012
EP	0841655	5/1998		EP	1634432	3/2013
EP	0847003	6/1998		EP	2650759	* 10/2013
EP	0876035	11/1998		EP	2945154	11/2015
EP	0900424	3/1999		EP	2770400	9/2016
EP	0839349	9/1999		EP	1078818	11/2017
EP	0944019	9/1999		EP	1671480	5/2019
EP	0948198	10/1999		EP	2998781	12/2019
EP	0970583	1/2000		ES	2368347	11/2011
EP	0977080	2/2000		ES	2382694	T3 6/2012
EP	0986230	3/2000		FR	2533513	3/1984
EP	0991260	4/2000		FR	2800571	5/2001
EP	0840920	5/2000		FR	283016	5/2003
EP	0999518	5/2000		GB	2066620	7/1981
EP	1014338	6/2000		GB	2242989	10/1991
EP	1020847	7/2000		GB	2300742	11/1996
EP	1024658	8/2000		GB	2329800	3/1999
EP	1054391	11/2000		GB	2351817	8/1999
EP	1058876	12/2000		GB	2380556	4/2003
EP	1064783	1/2001				
EP	1071277	1/2001				

US 11,153,472 B2

Page 13

(56)	References Cited		JP	2001320610	11/2001
	FOREIGN PATENT DOCUMENTS		JP	2002010369	1/2002
			JP	2002-040545	2/2002
			JP	2002049327	2/2002
GB	2401752	11/2004	JP	2002057764	2/2002
GB	2405948	3/2005	JP	2002135376	5/2002
GB	2406455	3/2005	JP	2002158953	5/2002
GB	2420251	5/2006	JP	2002183579	6/2002
GB	2424055	9/2006	JP	2002189723	7/2002
GB	2424730	10/2006	JP	2002-218092	8/2002
GB	2430332	3/2007	JP	2002252806	9/2002
JP	S54107343	8/1979	JP	2002311990	10/2002
JP	56012632	2/1981	JP	2002345756	12/2002
JP	S5612632	2/1981	JP	2002358162	12/2002
JP	58080631	5/1983	JP	2003010521	1/2003
JP	S5880631	5/1983	JP	2003506148	2/2003
JP	58137828	8/1983	JP	2003066419	3/2003
JP	60205433	10/1985	JP	2003069884	3/2003
JP	S60205433	10/1985	JP	2003075905	3/2003
JP	S62189898	8/1987	JP	2003169291	6/2003
JP	S6382197	4/1988	JP	2003281028	10/2003
JP	1056428	3/1989	JP	2003284050	10/2003
JP	S6456428	3/1989	JP	2003309748	10/2003
JP	1191838	8/1989	JP	2003324649	11/2003
JP	1191840	8/1989	JP	2004504077	2/2004
JP	H01191838	8/1989	JP	2004120526	4/2004
JP	H01191839	8/1989	JP	2004180181	6/2004
JP	H01191840	8/1989	JP	2004221908	8/2004
JP	H01193722	8/1989	JP	2004303000	10/2004
JP	H0270195	3/1990	JP	2004333738	11/2004
JP	H02153415	6/1990	JP	2004334590	11/2004
JP	H02206975	8/1990	JP	2005004410	1/2005
JP	64-56428	9/1990	JP	2005024792	1/2005
JP	2230225	9/1990	JP	2005027002	1/2005
JP	H02230225	9/1990	JP	2005033454	2/2005
JP	H03180690	8/1991	JP	2005-134819	5/2005
JP	H04175073	6/1992	JP	2005148151	6/2005
JP	H04-316035	11/1992	JP	2005-181365	7/2005
JP	H06321011	11/1994	JP	2005527256	9/2005
JP	H07-84302	3/1995	JP	2005333582	12/2005
JP	H07-84311	3/1995	JP	2006031499	2/2006
JP	H0755755	3/1995	JP	2006039953	2/2006
JP	H0772792	3/1995	JP	2006121671	5/2006
JP	H10117212	5/1995	JP	2006145918	6/2006
JP	H07333716	12/1995	JP	2006155452	6/2006
JP	H08139980	5/1996	JP	2006515694	6/2006
JP	H09-186954	7/1997	JP	2006184859	7/2006
JP	H1024785	1/1998	JP	2006287749	10/2006
JP	H1031551	2/1998	JP	3915291	5/2007
JP	H1056428	2/1998	JP	2009504081	1/2009
JP	H10199422	7/1998	JP	2009291657	12/2009
JP	H10269022	10/1998	JP	2011086315	4/2011
JP	H11143487	5/1999	JP	2012179370	9/2012
JP	H11198745	7/1999	KR	19990036555	5/1999
JP	H11-212726	8/1999	KR	19990054254	7/1999
JP	H11511301	9/1999	KR	20010111127	12/2001
JP	H11-355617	12/1999	KR	20040054225	6/2004
JP	2000020677	1/2000	KR	20040075419	8/2004
JP	2000-083186	3/2000	KR	20040075420	8/2004
JP	2000101898	4/2000	KR	20040079616	9/2004
JP	2000-163193	6/2000	KR	20040100995	12/2004
JP	2000-221582	8/2000	KR	20050089371	9/2005
JP	2000-231151	8/2000	KR	20050090265	9/2005
JP	2000214525	8/2000	KR	20060034453	4/2006
JP	2000227633	8/2000	KR	20070000023	1/2007
JP	2000231142	8/2000	KR	100700537	3/2007
JP	2000235216	8/2000	KR	100795450	1/2008
JP	2000-285413	10/2000	KR	100896245	5/2009
JP	2000284794	10/2000	KR	10078689	8/2010
JP	2000347277	12/2000	KR	2004/0065987	7/2021
JP	3124275	1/2001	RU	2143841	1/2000
JP	2001005485	1/2001	RU	2220057	12/2003
JP	2001027897	1/2001	TW	200520512	6/2005
JP	2001056796	2/2001	WO	WO1989003519	4/1989
JP	2001305642	2/2001	WO	WO1995001757	1/1995
JP	2001109878	4/2001	WO	WO1996003741	2/1996
JP	3180690	6/2001	WO	WO1996009587	3/1996
JP	2001266254	9/2001	WO	WO1997024905	7/1997
JP	2001218828	10/2001	WO	WO1997049340	12/1997

US 11,153,472 B2

Page 14

(56)

References Cited

FOREIGN PATENT DOCUMENTS

WO	WO199801265	3/1998
WO	WO1999003253	1/1999
WO	WO1999021122	4/1999
WO	WO1999021165	4/1999
WO	WO9936826	7/1999
WO	WO1999057937	11/1999
WO	WO9965381	12/1999
WO	WO2000065873	11/2000
WO	WO2000075766	12/2000
WO	WO2002008860	1/2001
WO	WO2001011896	2/2001
WO	WO2001026092	4/2001
WO	WO2001060029	8/2001
WO	WO2001090912	11/2001
WO	WO2001091107	11/2001
WO	WO2001099096	12/2001
WO	WO2002012966	2/2002
WO	WO2002021274	3/2002
WO	WO2002027535	4/2002
WO	WO2002029640	4/2002
WO	WO2002054309	7/2002
WO	WO2002102072	12/2002
WO	WO2003003185	1/2003
WO	WO2003071391	8/2003
WO	WO2003093879	11/2003
WO	WO2004001576	12/2003
WO	WO2004005141	1/2004
WO	WO2004032014	4/2004
WO	WO2004051392	6/2004
WO	WO2004052035	6/2004
WO	WO2004057451	7/2004
WO	WO2004078536	9/2004
WO	WO2004105523	12/2004
WO	WO2005018219	2/2005
WO	WO2005026940	3/2005
WO	WO2005050308	6/2005
WO	WO2005058705	6/2005
WO	WO2005/062591	7/2005
WO	WO2005061249	7/2005
WO	WO2005107407	11/2005
WO	WO2006003588	1/2006
WO	WO2006003591	1/2006
WO	WO2006006108	1/2006
WO	WO2006036069	4/2006
WO	WO2006062966	6/2006
WO	WO2006068123	6/2006
WO	WO2006086863	8/2006
WO	WO2006093003	9/2006
WO	WO2006103437	10/2006
WO	WO2006110765	10/2006
WO	WO2007034392	3/2007

OTHER PUBLICATIONS

Machine English Translation of JP H07-84311 to Kawamura.
Machine English Translation of JP H04-316035 to Yoshimura et al.
Machine English Translation of TW 200520512 to Liu et al.
Adams, Russ, "Sourcebook of Automatic Identification and Data Collection," Van Norstrand Reinhold, New York, Dec. 31, 1990.
Bernardi, Bryan D., "Speech Recognition Camera with a Prompting Display," The Journal of the Acoustical Society of America, vol. 108, Issue 4, Oct. 2000, p. 1383.
Bernardi, Bryan D., "Speech Recognition Camera with a Prompting Display," The Journal of the Acoustical Society of America, vol. 109, Issue 4, Apr. 2001, p. 1287.
Chapman, William D. "Prospectives in Voice Response from Computers," R.L.A. Trost, "Film Slave," Nov. 1976, Elektor, vol. 2, No. 11, pp. 1135-1137.
Goode, Georgianna, et al., Voice Controlled Stereographic Video Camera System, Proc. SPIE vol. 1083, p. 35, Three-Dimensional Visualization and Display Technologies; Scott S. Fisher: Woodrow E. Robbins, Eds.

Harif, Shlomi, Recognizing non-verbal sound commands in an interactive computer controlled speech word recognition display system, Acoustical Society of America Journal, vol. 118, Issue 2, pp. 599-599 (2005).
Hermes operating system now also listens to "his British master's voice" (Nov. 1999).
Morgan, Scott Anthony, Speech command input recognition system for interactive computer display with term weighting means used in interpreting potential commands from relevant speech terms, The Journal of the Acoustical Society of America, vol. 110, Issue 4, Oct. 2001, p. 1723.
Panasonic VLG201CE-S Video Intercom System with Silver door station.
Philips, M.L. Adv. Resource Dev. Corp., Columbia, MD, Voice control of remote stereoscopic systems Voice control of remote stereoscopic systems, by, Southeastcon '90. Proceedings., IEEE, Apr. 1-4, 1990, 594-598 vol.2.
Reichenspurner, et al., Use of the voice-controlled and computer-assisted surgical system ZEUS for endoscopic coronary artery bypass grafting. The Journal of thoracic and cardiovascular surgery, Jul. 1999.
Robotics: the Future of Minimally Invasive Heart Surgery (May 2000).
ST Microelectronics TSH512 Hi-fi Stereo/mono Infrared Transmitter and Stereo Sub-carrier Generator (Oct. 2005).
Non-Final Office Action in U.S. Appl. No. 11/163,391, (dated Sep. 25, 2008).
Response to Non-Final Office Action in U.S. Appl. No. 11/163,391 (dated Jan. 9, 2009).
Non-Final Office Action in U.S. Appl. No. 11/163,391, (dated Apr. 22, 2009).
Response to Non-Final Office Action in U.S. Appl. No. 11/163,391 (dated Sep. 22, 2009).
Final Office Action in U.S. Appl. No. 11/163,391, (dated Dec. 18, 2009).
Response to Final Office Action in U.S. Appl. No. 11/163,391 (dated Jan. 11, 2010).
Non-Final Office Action in U.S. Appl. No. 12/710,066, (dated May 3, 2010).
Response to Non-Final Office Action in U.S. Appl. No. 12/710,066 (dated Aug. 3, 2010).
Final Office Action in U.S. Appl. No. 12/710,066, (dated Oct. 18, 2010).
Response to Final Office Action in U.S. Appl. No. 12/710,066 (dated Dec. 20, 2010).
Non-Final Office Action in U.S. Appl. No. 13/087,650, (dated Apr. 19, 2012).
Response to Non-Final Office Action in U.S. Appl. No. 13/087,650 (dated Jul. 19, 2012).
Non-Final Office Action in U.S. Appl. No. 13/717,681, (dated May 21, 2013).
Response to Non-Final Office Action in U.S. Appl. No. 13/717,681 (dated Nov. 15, 2013).
File History, U.S. Appl. No. 11/163,391 (now issued Patent No. 7,697,827) to Konicek (Filed Oct. 2005).
File History, U.S. Appl. No. 12/710,066 (now issued Patent No. 7,933,508) to Konicek (Filed Feb. 2010).
File History, U.S. Appl. No. 13/087,650 (now issued Patent No. 8,467,672) to Konicek (Filed Apr. 2011).
File History, U.S. Appl. No. 13/717,681 to Konicek (Filed Dec. 2012).
Notice of Allowance in U.S. Appl. No. 13/717,681, (dated Jan. 24, 2014).
Request for Continued Examination in U.S. Appl. No. 13/717,681 (dated Mar. 14, 2014).
Non-Final Office Action in U.S. Appl. No. 13/717,681, (dated Apr. 3, 2014).
Non-Final Office Action in U.S. Appl. No. 14/199,855, (dated Apr. 24, 2014).
Response to Non-Final Office Action in U.S. Appl. No. 14/199,855, (dated May 21, 2014).
Non-Final Office Action in U.S. Appl. No. 14/203,129, (dated Apr. 25, 2014).

US 11,153,472 B2

Page 15

(56)

References Cited

OTHER PUBLICATIONS

Response to Non-Final Office Action in U.S. Appl. No. 14/203,129, (dated Jun. 3, 2014).
 File History, U.S. Appl. No. 14/199,855 to Konicek (Filed Mar. 2014).
 File History, U.S. Appl. No. 14/203,129 to Konicek (Filed Mar. 2014).
 Response to Non-Final Office Action in U.S. Appl. No. 13/717,681 (dated Jun. 30, 2014).
 File History, U.S. Appl. No. 14/315,544 to Konicek (Filed Jun. 2014).
 Notice of Allowance in U.S. Appl. No. 13/717,681, (dated Aug. 4, 2014).
 Notice of Allowance in U.S. Appl. No. 14/199,855, (dated Jul. 14, 2014).
 Notice of Allowance in U.S. Appl. No. 14/203,129, (dated Jul. 14, 2014).
 Notice of Allowance in U.S. Appl. No. 14/315,544, (dated Sep. 29, 2014).
 Notice of Allowance in U.S. Appl. No. 14/453,511, (dated Oct. 20, 2014).
 Notice of Allowance in U.S. Appl. No. 14/495,976, (dated Oct. 22, 2014).
 RSC-164i Datasheet, "General Purpose Microcontroller Featuring Speech Recognition, Speaker Verification, and Speech Synthesis," Sensory, Inc. (1996).
 Non-Final Office Action in U.S. Appl. No. 14/539,687, (dated Apr. 17, 2015).
 Machine Translation of JP2000214525 to Yoji (date unknown).
 U.S. Appl. No. 60/718,155 to Feinberg et al. (filed Sep. 15, 2005).
 Smart Commander Guide to Voice Recognition (date unknown).
 Network Smart Capture Ver.1.2 (dated 1997).
 Partial English Translation of Network Smart Capture Ver. 1.2 (date unknown).
 Smart Capture Smart Commander (date unknown).
 Partial English Translation of Smart Capture Smart Commander (date unknown).
 Final Office Action in U.S. Appl. No. 14/539,687, (dated Nov. 16, 2015).
 Response to Final Office Action in U.S. Appl. No. 14/539,687 (dated Jan. 15, 2016).
 Non-Final Office Action in U.S. Appl. No. 14/539,687, (dated Feb. 4, 2016).
 Response to Non-Final Office Action in U.S. Appl. No. 14/539,687 (dated May 4, 2016).
 Notice of Allowance in U.S. Appl. No. 14/539,687, (dated Jul. 15, 2016).
 BMW Group—Voice Commands for BMW 5 Series & 6 Series MY2004 Equipped with CCC (date unknown).
 Non-Final Office Action in U.S. Appl. No. 14/950,338 (dated Oct. 7, 2016).
 Non-Final Office Action in U.S. Appl. No. 15/188,736 (dated Oct. 12, 2016).
 Non-Final Office Action in U.S. Appl. No. 14/614,515 (dated Mar. 6, 2017).
 Response to Non-Final Office Action in U.S. Appl. No. 14/950,338 (dated Apr. 7, 2017).
 Declaration of Jeffrey C. Konicek Under Rule 1.132 in U.S. Appl. No. 14/950,338, filed Apr. 7, 2017.
 Response to Non-Final Office Action in U.S. Appl. No. 15/188,736 (dated Apr. 12, 2017).
 Declaration of Jeffrey C. Konicek Under Rule 1.132 in U.S. Appl. No. 15/188,736 (filed Apr. 12, 2017).
 Nokia 9500 Communicator User Guide (p. 38) (Copyright 2004-2005).
 HP iPAQ rX3715 Quick Specs (Jul. 27, 2004).
 HP iPAQ rX3715 Data Sheet (Copyright 2004).
 Ricoh RDC-i700 Operation Manual (Copyright 2000).

Machine English Translation of JP 2005-181365 to Imamura et al.
 Machine English Translation of JP H09-186954 to Yasuyuki, et al.
 Machine English Translation of JP 2000-221582 to Yoji.
 Machine English Translation of JP 2000-231151 to Yoji.
 Machine English Translation of JP2000-083186 to Hiroshi.
 Machine English Translation of JP 2002-218092 to Nobuaki.
 Machine English Translation of JP 2000-285413 to Kenji et al.
 Machine English Translation of JP H11-212726 to Hideyuki et al.
 Machine English Translation of JP H11-355617 to Manbu.
 Machine English Translation of JP 2005-134819 to Mineko et al.
 Response to Non-Final Office Action in U.S. Appl. No. 14/614,515 (dated Sep. 6, 2017).
 Final Office Action in U.S. Appl. No. 14/614,515, (dated Nov. 15, 2017).
 RCE and Response to Final Office Action in U.S. Appl. No. 14/614,515 (dated Mar. 15, 2018).
 Non-Final Office Action in U.S. Appl. No. 14/614,515, (dated May 10, 2018).
 Response to Non-Final Office Action in U.S. Appl. No. 14/614,515 (dated Nov. 2, 2018).
 Non-Final Office Action in U.S. Appl. No. 14/950,370, (dated Jun. 20, 2017).
 Response to Non-Final Office Action in U.S. Appl. No. 14/950,370 (dated Dec. 20, 2017).
 Supplemental Response and Amendment in U.S. Appl. No. 14/950,370 (dated Feb. 8, 2018).
 Notice of Allowance in U.S. Appl. No. 14/950,370, (dated May 29, 2018).
 Corrected Notice of Allowance in U.S. Appl. No. 14/950,370, (dated Jun. 12, 2018).
 Interview Summary in U.S. Appl. No. 15/188,736, (dated May 9, 2017).
 Interview Summary in U.S. Appl. No. 15/188,736, (dated Jun. 15, 2017).
 Final Office Action in U.S. Appl. No. 15/188,736, (dated Jun. 19, 2017).
 Response to Final Office Action in U.S. Appl. No. 15/188,736 (dated Dec. 11, 2017).
 Interview Summary in U.S. Appl. No. 15/188,736, (dated Dec. 12, 2017).
 Notice of Allowance in U.S. Appl. No. 15/188,736, (dated Jan. 19, 2018).
 Final Office Action in U.S. Appl. No. 14/950,338, (dated Jun. 20, 2017).
 Appeal Brief in U.S. Appl. No. 14/950,338 (Feb. 19, 2018).
 Non-Final Office Action in U.S. Appl. No. 14/950,338, (dated May 3, 2018).
 Response to Non-Final Office Action in U.S. Appl. No. 14/950,338 (dated Oct. 19, 2018).
 Supplemental Amendment in U.S. Appl. No. 14/950,338 (dated Nov. 6, 2018).
 Notice of Allowance in U.S. Appl. No. 14/950,338, (dated Jan. 31, 2019).
 Supplemental Amendment in U.S. Appl. No. 14/950,370 (dated Feb. 8, 2018).
 Final Office Action in U.S. Appl. No. 14/614,515, (dated Jan. 30, 2019).
 RCE and Response to Final Office Action in U.S. Appl. No. 14/614,515 (dated Jul. 17, 2019).
 Non-Final Office Action in U.S. Appl. No. 14/614,515, (dated Aug. 5, 2019).
 Machine English Translation of KR2004/0065987 to Matsufune.
 Apex Standards—Invalidity Analysis (date Unknown) (last accessed Aug. 18, 2021).
 Techson IP—Limestone Report, Report Generated: Apr. 21, 2021 (last accessed Aug. 18, 2021).
 Amplified—AI Invalidity Report (date Unknown) (last accessed Aug. 18, 2021).
 Traindex—Prior Art report for U.S. Pat. No. 7,697,827-B2 (date Unknown) (last accessed Aug. 18, 2021).

* cited by examiner




FIG. 1A

U.S. Patent

Oct. 19, 2021

Sheet 2 of 8

US 11,153,472 B2




FIG. 1B




FIG. 2





FIG. 3



U.S. Patent

Oct. 19, 2021

Sheet 6 of 8

US 11,153,472 B2





FIG. 5A

U.S. Patent

Oct. 19, 2021

Sheet 7 of 8

US 11,153,472 B2



ROUND DIGIT PATTERN WITH
CENTER ACTIVATION PATTERN


FIG. 5B

U.S. Patent

Oct. 19, 2021

Sheet 8 of 8

US 11,153,472 B2



CAMERA OR CELL PHONE
JOYSTICK PATTERN

FIG. 5C

US 11,153,472 B2

1

**AUTOMATIC UPLOAD OF PICTURES FROM
A CAMERA****CROSS REFERENCE TO RELATED
APPLICATIONS**

This application is a continuation of application Ser. No. 14/614,515, filed Feb. 5, 2015, which claims the benefit of application Ser. No. 14/539,687 (now issued U.S. Pat. No. 9,485,403), filed Nov. 12, 2014, which claims the benefit of application Ser. No. 14/495,976 (now issued U.S. Pat. No. 8,917,982), filed Sep. 25, 2014, which claims the benefit of application Ser. No. 14/453,511 (now issued U.S. Pat. No. 8,923,692), filed Aug. 6, 2014, which claims the benefit of application Ser. No. 14/315,544 (now issued U.S. Pat. No. 8,897,634), filed Jun. 26, 2014, which claims the benefit of application Ser. No. 14/203,129 (now issued U.S. Pat. No. 8,818,182), filed Mar. 10, 2014, which claims the benefit of application Ser. No. 13/717,681 (now issued U.S. Pat. No. 8,831,418), filed Dec. 17, 2012, which claims the benefit of application Ser. No. 13/087,650 (now issued U.S. Pat. No. 8,467,672), filed Apr. 15, 2011, which claims the benefit of application Ser. No. 12/710,066 (now issued U.S. Pat. No. 7,933,508), filed Feb. 22, 2010, which claims the benefit of application Ser. No. 11/163,391 (now issued U.S. Pat. No. 7,697,827), filed Oct. 17, 2005, all of which are herein incorporated by reference. Reference is also made to related application Ser. No. 14/199,855 (now issued U.S. Pat. No. 8,824,879), filed Mar. 6, 2014, related application Ser. No. 14/950,338 (now issued U.S. Pat. No. 10,257,401), filed Nov. 24, 2015, related application Ser. No. 14/950,370 (now issued U.S. Pat. No. 10,063,761), filed Nov. 24, 2015, and related application Ser. No. 15/188,736 (now issued U.S. Pat. No. 9,936,116) filed Jun. 21, 2016.

BACKGROUND OF THE INVENTION

Digitally-based and film-based cameras abound and are extremely flexible and convenient. One use for a camera is in the taking of self portraits. Typically, the user frames the shot and places the camera in a mode whereby when the shutter button is depressed; the camera waits a predetermined time so that the user may incorporate himself back into the shot before the camera actually takes the picture. This is cumbersome and leads to nontrivial problems. Sometimes the predetermined delay time is not long enough. Other times, it may be too long. For participants who are in place and ready to have their picture taken, especially children, waiting with a smile on their face for the picture to be snapped by the camera can seem endless even if it is just a few seconds long. Additionally, many who might like to be included into a shot find themselves not able to be because they have to take the picture and it is simply too much trouble to set up for a shutter-delayed photograph.

Voice recognition techniques are well known in the art and have been applied to cameras, see for example, U.S. Pat. Nos. 4,951,079, 6,021,278 and 6,101,338 which are herein incorporated by reference. It is currently possible to have fairly large vocabularies of uttered words recognized by electronic device. Speech recognition devices can be of a type whereby they are trained to recognize a specific person's vocalizations, so called speaker dependent recognition, or can be of a type which recognizes spoken words without regard to who speaks them, so called speaker independent recognition. Prior art voice operated cameras have several defects remedied or improved upon by various aspects of the present invention more fully disclosed below.

2

One such problem is that in self portrait mode, the camera may snap the picture while the user is uttering the command. Another defect is that the microphone coupled to the voice recognition unit is usually mounted on the back of the camera. This placement is non-optimal when the user is in front of the camera as when taking a self portrait. Still another problem with prior art voice activated cameras is that they associate one vocalization or utterance to one camera operation. Thus, the user must remember which command word is to be spoken for which camera operation. This is overly constraining, unnatural, and significantly reduces the utility of adding voice recognition to the camera.

One prior art implementation of voice recognition allows for menu driven prompts to help guide the user through the task of remembering which command to speak for which camera function. This method however requires that the user be looking at the camera's dedicated LCD display for the menu. One aspect of the present invention provides for the menus to be displayed in the electronic view finder of the camera and be manipulated with both voice and gaze. Another aspect of the present invention incorporates touchpad technology which is typically used in laptop computers, such technology being well known in the art, as the camera input device for at least some functions.

SUMMARY OF THE INVENTION

A self-contained camera system, according to various aspects of the present invention, includes voice recognition wherein multiple different vocalizations can be recognized and wherein some such recognized vocalizations can be associated with the same camera command. Another aspect of the invention provides for multiple microphones disposed on or in the camera system body and be operable so that the user can be anywhere around the camera system and be heard by the camera system equally well. According to other aspects of the present invention, the camera system viewfinder includes gaze tracking ability and in exemplary preferred embodiments, gaze tracking is used alone or in combination with other aspects of the invention to, for example, manipulate menus, improve picture taking speed, or improve the auto focus capability of the camera. Other aspects of the present invention, such as the addition of touchpad technology and gesture recognition provide for a improved and more natural user interface to the camera system.

Thus, it is an object of the invention to provide an improved self-portrait mode for a camera system. It is further an object of the invention to provide an improved user interface for a camera system. It is yet a further object of the invention to make a camera system more user friendly with a more natural and intuitive user interface. It is still a further object of the invention to broaden the capabilities of the camera system. It is further an object of the invention to more easily allow a user to compose a shot to be taken by the camera system. It is still further an object of the invention to improve image quality of pictures taken by the camera system. It is yet another object of the invention to improve the speed of picture taking by the camera system.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1A is an exemplary perspective view of the rear (back) of the camera system according to various aspects of the present invention.

US 11,153,472 B2

3

FIG. 1B is an exemplary perspective view of the front of the camera system according to various aspects of the present invention.

FIG. 2 is a functional representation of automatic microphone selection circuitry that may be used in various aspects of the present invention.

FIG. 3 shows an exemplary functional block diagram of an inventive camera system implementing various aspects of the present invention.

FIG. 4 shows an exemplary embodiment of a wink detector according to various aspects of the present invention.

FIG. 5A shows an exemplary touchpad overlay with cutouts according to various aspects of the present invention.

FIG. 5B shows an exemplary touchpad overlay with cutouts according to various aspects of the present invention.

FIG. 5C shows an exemplary touchpad overlay with cutouts according to various aspects of the present invention.

DESCRIPTION OF PREFERRED EXEMPLARY EMBODIMENTS

One aspect of the present invention solves several of the problems of the prior art voice recognition cameras in that this aspect provides for more than one microphone to be the source to the recognition unit. With reference to FIG. 1, this aspect of the present invention provides for at least two microphones to be used, one microphone, 10b, placed on the back of the camera and one microphone, 10a, placed on the front, either of which can receive voice commands. In a first preferred embodiment of this aspect of the invention, a detection device determines which microphone is to be used as the input to the recognition unit based upon the strength of the voice signal or sound level received by each of the microphones. In another preferred embodiment, the outputs of the microphones are combined as the input to the voice recognition unit. In still another embodiment, the user can select which microphone is used as the input to the voice recognition unit, for example, by a switch or by selection through a camera menu.

Automatic microphone selection is preferred and with reference to FIG. 2, microphones 10a and 10b are each amplified by amplifiers 20 and 22 respectively. Diode 24, capacitor 28 and resistor 32 form a simple energy detector and filter for microphone 10a. The output of this detector/filter is applied to one side of a comparator, 36. Similarly, diode 26, capacitor 30, and resistor 34 form the other energy detector associated with microphone 10b. The output of this filter/detector combination is also applied to comparator 36. Thus, the output of this comparator selects which amplified microphone output is passed to the voice recognition unit through multiplexer 38 based on which amplified microphone output contains the greatest energy.

In yet another novel embodiment of this aspect of the invention, the multiple microphones are preferably associated with multiple voice recognition units or, alternatively, with different voice recognition algorithms well known in the art. The outputs of these multiple voice recognition units or different voice recognition algorithms are then coupled to the camera controller (FIG. 3 element 40). The camera controller preferably selects one of these outputs as being the camera controller's voice recognition input. Alternatively, the camera controller accepts the outputs of all the voice recognition units or algorithms and preferably uses a

4

voting scheme to determine the most likely recognized command. This would obviously improve recognition rates and this aspect of the invention is contemplated to have utility beyond camera systems including, by way of example and not limitation, consumer computer devices such as PCs and laptops; portable electronic devices such as cell phones, PDAs, IPODs, etc.; entertainment devices such as TVs, video recorders, etc; and other areas.

To illustrate this embodiment using the example of the camera system having microphones on its frontside and backside given above, each of these microphones is coupled to a voice recognition unit. When an utterance is received, each voice recognition unit recognizes the utterance. The camera controller then selects which voice recognition unit's recognition to accept. This is preferably based on the energy received by each microphone using circuitry similar to FIG. 2. Alternatively, the selection of which voice recognition unit to use would be a static selection. Additionally, both recognizers' recognition would be considered by the camera controller with conflicting results resolved by voting or using ancillary information (such as microphone energy content).

An embodiment using multiple algorithms preferably has one voice recognition algorithm associated with the frontside microphone and, a different voice recognition algorithm associated with the backside microphone. Preferably, the voice recognition algorithm associated with the frontside microphone is adapted to recognize vocalizations uttered from afar (owing to this microphone probably being used in self-portraits), while the voice recognition algorithm associated with the backside microphone is optimal for closely uttered vocalizations. Selection of which algorithm is to be used as the camera controller input is preferably as above. Alternatively, as above, the selection would be by static selection or both applied to the camera controller and a voting scheme used to resolve discrepancies. While the above example contemplates using different voice recognition algorithms, there is no reason this must be so. The same algorithms could also be used in which case this example functions the same as multiple voice recognition units.

It is further contemplated in another aspect of the invention that the voice recognition subsystem be used in conjunction with the photograph storing hardware and software. In a preferred use of this aspect of the invention, the user utters names to be assigned to the photographs during storage and, later, utter then again for recall of the stored image. Thus, according to this aspect of the present invention, a stored photograph can be recalled for display simply by uttering the associated name of the photograph. The name association is preferably by direct association, that is, the name stored with the picture. In a second preferred embodiment, the photograph storage media contains a secondary file managed by the camera system and which associates the given (i.e., uttered) name with the default file name assigned by the camera system's storage hardware and/or software to the photograph when the photograph is stored on the storage media. According to the second embodiment, when a photograph is to be vocally recalled for viewing, the camera system first recognizes the utterance (in this case, the name) which will be used to identify the picture to be recalled. The camera system then scans the association file for the name which was uttered and recognized. Next, the camera system determines the default name which was given to the photograph during storage and associated with the user-given name (which was uttered and recognized) in the association file. The camera system then recalls and displays the photograph by this associated default name.

US 11,153,472 B2

5

In another preferred embodiment, the voice recognition subsystem of the improved camera system recognizes at least some vocalized letters of the alphabet and/or numbers so that the user may assign names to pictures simply by spelling the name by vocalizing letters and/or numbers. Another aspect of the invention provides that stored photographs be categorized on the storage media through use of voice-recognized utterances being used to reference and/or create categories labels and that, additionally, the recognizer subsystem preferably recognize key words for manipulating the stored pictures. For instance, according to this aspect of the invention, the inventive camera system would recognize the word “move” to mean that a picture is to be moved to or from a specific category. More specifically, “move, Christmas” would indicate that the currently referenced photograph is to be moved to the Christmas folder. An alternative example is “John move new year’s” indicating that the picture named john (either directly named or by association, depending on embodiment) be moved to the folder named “New Year’s”. It is further contemplated that the folder names may be used for picture delineation as well. For instance, the picture “John” in the Christmas folder is not the same as the picture “John” in the Birthday folder and the former may be referenced by “Christmas, John” while the latter is referenced by “Birthday, John”.

Another aspect of the present invention provides that the voice recognition camera system be capable of associating more than one vocal utterance or sound with a single command. The different utterances are contemplated to be different words, sounds or the same word under demonstrably different conditions. As an example, the voice recognition camera system of this aspect of the present invention allows the inventive camera system to understand, for example, any of “shoot”, “snap”, “cheese”, and a whistle to indicate to the camera system that a picture is to be taken. In another example, perhaps the phrase and word “watch the birdie” and “click” instruct the camera to take the picture. It is further envisioned that the user select command words from a predetermined list of the camera command words and that he then select which words correspond to which command. It is alternatively envisioned that the association of multiple recognizable words to camera commands may also be predetermined or preassigned. In another alternate embodiment, the inventive camera system allows the user to teach the camera system which words to recognize and also inform the camera system as to which recognized words to associate with which camera commands. There are obviously other embodiments for associating recognized vocalizations to camera commands and the foregoing embodiments are simply preferred examples.

In another embodiment of this aspect of the present invention, the user has his uttered commands recognized under demonstrably different conditions and recognized as being different utterances. For instance, according to this aspect of the invention, the voice operated camera system operates so that it understand commands vocalized close to the camera (as if the user is taking the picture in traditional fashion with the camera back to his face) and significantly farther away (as if the user is taking a self portrait picture and is part of the shot and thus has to vocalize loudly to the front of the camera.) For this illustration, in a preferred embodiment the user teaches the words to the camera under the different conditions anticipated. For example, the user would teach the camera system by speaking the word “snap” close to the camera and inform the camera that this is a picture taking command and would then stand far from the camera and say “snap”, thus teaching another utterance, and

6

instruct the camera that this is also a picture taking command. These two different utterances of the same word under different conditions would be stored and recognized as different utterances. This aspect of the invention contemplates that the words vocalized and/or taught need not be the same word and, as illustrated above, different words would also be considered different utterances as well.

Since voice recognition is not always 100 percent accurate, another aspect of the present invention contemplates that the camera system or a remote device, or both, preferably provide an indication that a voice command was or was not understood. Thus, using the self portrait example above, if the user vocalizes the command to take a picture but the camera system does not properly recognize the vocalization as being something it understands, the camera system would beep, or light an LED, etc. to indicate it’s misrecognition. Because of the relatively small number of anticipated camera commands and allowing for multiple vocalizations to command the same action, it is expected that the recognition rates will be quite high and fairly tolerant of extraneous noise without necessarily resorting to the use of a highly directional or closely coupled (to the user’s mouth) microphone though the use of such devices is within the scope of the invention.

It is anticipated that the user of the inventive camera system may be too far away from the camera system for the camera system to recognize and understand the user’s vocalizations. Thus, another aspect of the invention provides that the camera is equipped with a small laser sensor (FIG. 1 element 18) or other optically sensitive device such that when a light of a given frequency or intensity or having a given pulse sequence encoded within it is sensed by the camera system equipped with the optically sensitive device, the camera system immediately, or shortly thereafter (to give the user time to put the light emitting device down or otherwise hide it, for example) takes a picture. The light emitting device is preferably a laser pointer or similar, stored within the camera housing when not needed so as to not be lost when not in use. Additionally, the light emitting device’s power source would preferably be recharged by the camera system’s power source when so stored. In another embodiment, it is also contemplated that the light emitting device may be housed in a remotely coupled display which is disclosed below. The light emitting device preferably includes further electronics to regulate the emitted light intensity or to encode a predetermined pulse sequence (on-off pulses for example) or otherwise onto the emitted light, all of which techniques are well known in the art, which the camera system of this aspect of the present invention would receive and recognize by methods well known in the art.

Another aspect of the present invention provides for there being a predetermined delay introduced between recognizing a voice command and the camera actually implementing the command. This aspect of the invention allows time, for example, for the user to close his mouth or for others in a self-portrait shot to settle down quickly before the picture is actually taken. In a first preferred embodiment of this aspect of the invention, the delay is implemented unconditionally for at least the picture taking command. In a second preferred embodiment of this aspect of the invention, the delay introduced is dependent upon from where the command came relative to the camera system. For instance, if the camera system recognized the command as coming from the frontside microphone, delay is used, but if the command comes from the backside microphone, then no delay is implemented. The simple energy detection circuitry of FIG.

US 11,153,472 B2

7

2, described above is easily adapted for this function. In an alternative embodiment, implementation of the delay is dependent upon the location of the microphone due to the orientation of the flip-up or swivel LCD display when the microphone is attached to the LCD display (FIG. 1, element 12c). For example, if the microphone in the display sub-housing is oriented forward relative to the camera body then delay is implemented, if the microphone is not oriented forward then no delay is introduced. Determining the orientation of this microphone relative to the camera body is known in the art and would typically be done with switches or other sensor devices. Another preferred embodiment of this aspect of the invention implements the delay for only certain commands, such as the command to take a picture. In yet another preferred embodiment, whether the delay is implemented at all is selectable by the user.

Another aspect of the present invention provides that the camera LCD display (FIG. 1, element 14) employs touch sensitive technology. This technology is well known in the computer art and can be any of resistive, capacitive, RF, etc touch technology. This aspect of the present invention allows the user to interact with menus, features and functions displayed on the LCD display directly rather than through ancillary buttons or cursor control. For those embodiments of touch technology requiring use of a stylus, it is further contemplated that the camera body house the stylus for easy access by the user.

According to another aspect of the present invention, it is envisioned that the current dedicated LCD display (FIG. 1, element 14) incorporated on a digital camera be made to be removable and be extendable from the camera by cable, wireless, optical, etc. interconnection with the camera. In one embodiment, this remote LCD would be wire-coupled to receive display information from the digital camera through a pluggable port. In another embodiment, the remote LCD would be wirelessly coupled to the digital camera through any of several technologies well understood in the art including, by way of example only, Bluetooth, WIFI (802.11 a/b/g/n), wireless USB, FM, optical, etc. In another embodiment of this aspect of the invention, the remotely coupled display would serve the dual purpose of being a remote input terminal to the camera system in addition to being a dedicated display for the camera system. Preferably, as mentioned earlier, the display is touch sensitive using any of the touch sensitive technology well understood in the art such as resistive, capacitive, RF, etc., methods mentioned above. Touch commands input by the user would be coupled back to the camera system as needed. It is also contemplated that the remote display house the stylus if one is required.

In another preferred embodiment, the remotely coupled display has buttons on it to control the camera system. In another embodiment, the remotely coupled display contains the microphone for receiving the voice commands of the user, digitizing the received voice, analyzing and recognizing the vocalization locally and sending a command to the camera system. In another preferred embodiment, the remotely coupled display containing the microphone simply digitizes the vocalization received by the microphone and transmits the digitized vocalization to the camera system for recognition of the vocalization by the camera system itself. In all embodiments of the wireless remote display, it is preferred that the display contain its own power source, separate from the power source of the camera. It is also contemplated that the display's separate power source may be coupled to the camera's power source when the display

8

is 'docked' to the camera so that both may share power sources or so that the camera's power source may recharge the display's power source.

According to another aspect of the present invention, the electronic view finder (EVF) typically used on modern digital cameras includes a gaze tracking capability which is well known in the art, see for example U.S. Pat. No. 6,758,563 to Levola which is herein incorporated by reference. In this aspect of the present invention, menus typically used for user interface to the camera are electronically superimposed in the image in the EVF. The gaze tracker subsystem is operable for determining the area or approximate location of the viewfinder image at which the user is gazing. Thus, by the user looking at different areas of the EVF image, the gaze tracker subsystem informs the camera system so that a mouse-like pointer or cursor is moved by the camera system to the area of the EVF image indicated by the gaze tracking device to be the area the user is viewing. Preferably, the user then speaks a command to indicate his selection of the item pointed to by the pointer image. Alternatively, the user may indicate through other methods that this is his selection, such as staring at a position in the image for a minimum predetermined time or pressing a button, etc. As an example, the EVF displays icons for flash, shutter speed, camera mode, etc (alone or superimposed on the normal viewfinder image.) By gazing at an icon, a small compositely rendered arrow, cursor, etc., in the EVF image is caused by the gaze tracker subsystem to move to point to the icon at which the user is determined to be gazing by the gaze tracking subsystem, for instance, the camera mode icon as an example here. Preferably, the user then utters a command which is recognized by the camera system as indicating his desire to select that icon, for example, "yes" or "open".

Alternatively, the icon is selected by the user gazing at the icon for some predetermined amount of time. When the icon is selected by whatever method, the EVF image shows a drop down menu of available camera modes, for example, portrait, landscape, fireworks, etc. The user, preferably, then utters the proper command word from the list or he may optionally gaze down the list at the mode he desires whereupon the gaze tracker subsystem directs that the pointer or cursor in the EVF image moves to the word and, preferably highlighting it, indicates that this is what the camera system thinks the user want to do. The user, preferably, then utters a command indicating his acceptance or rejection of that mode in this example, such as 'yes' or 'no'. If the command uttered indicates acceptance, the camera system implements the command, if the command indicates rejection of the selected command, the camera system preferably moves the pointer to a neighboring command. To leave a menu, the user may utter 'end' to return to the menu above or 'home' to indicate the home menu. Preferably, the user can also manipulate the pointer position by uttering commands such as "up", "down", "left" and "right" to indicate relative cursor movement. In this way, the user interacts with the camera in the most natural of ways, through sight and sound cooperatively. While the above example used the preferred combination of gaze and voice recognition, it is contemplated that gaze tracking be combined with other input methods such as pushing buttons (like a mouse click) or touch input disclosed below, or gesture recognition disclosed below, etc. as examples.

Another application of this aspect of the invention uses gaze tracking to assist the auto focus (AF) capability of the prior art camera. AF generally has two modes, one mode uses the entire image, center weighted, to determine focus,

US 11,153,472 B2

9

another mode allows different areas of the image to have greater weight in determining focus. In the second mode, the user typically pre-selects the area of the framed image that he wishes to be over-weighted by the AF capability. This is cumbersome in that the user must predict where he wants the weighting to be ahead of time, thus, this embodiment of this aspect of the invention provides that the gaze tracker subsystem inform the AF capability of the camera system as to the location of the image that the user is gazing and that the AF capability use this information to weight this area of the image when determining focus. It is contemplated that the AF system may only provide for discrete areas of the image to be so weighted and in this case, preferably, the AF capability selects the discrete area of the image closest to that being gazed upon.

Another embodiment of this aspect of the invention uses the gaze tracker to enable the flash of the camera system. Flash is common used to “fill” dimly lit photographic scenes but sometimes this is not warranted. Other times, it is desired to have “fill” flash because the area of the scene desired is dark but the rest of the scene is quite bright (taking a picture in shade for example) and the camera does not automatically provide “fill” flash because the overall image is bright enough. Typically, the amount of “fill” flash the camera will give is determined by the camera measuring the brightness of the scene. The inventive camera system with gaze tracking is used to enhance the prior art method of determining the desire and amount of “fill” flash in that the inventive camera system gives more weight, in determining the scene brightness, to the area of the scene indicated by the gaze tracker as being gazed upon.

Another aspect of the present invention adds touchpad technology to the prior art camera system. Use of the word ‘touchpad’ throughout this disclosure should be construed to mean either the touchpad itself or the touchpad with any or all of a controller, software, associated touchpad electronics, etc. This touchpad technology is similar to the touchpad mouse pad used on laptop computers which is also well understood in the computer art. In a first preferred embodiment, the EVF (or LCD display) displays the menus as above and the user moves the cursor or mouse pointer around this image by use of his finger on the touchpad. This operation is virtually identical to that of the mouse in laptop computers and is well understood in the art. Preferably, the touch pad is mounted on the top of the camera at the location typically used for the shutter button (FIG. 1 element 12a). It is also preferred that the touchpad software implement ‘tapping’ recognition, also well known in the art, so that the user may operate the shutter button, make a selection, etc. simply by tapping the touchpad with his index finger, much the same way modern laptop driver software recognizes tapping of the touchpad as a click of the mouse button. It is also currently preferred that tapping recognition is used to make selections on the menus shown in the EVF, LCD display, or otherwise.

Another application of this aspect of the invention uses the touchpad to inform the camera system to zoom the lens simply by the user stroking his finger from front to back (for example, to zoom) or back to front over the touchpad (for example, to wide angle). For this aspect of the present invention, a preferred embodiment has the touchpad on the barrel of the lens. This is a most natural way to control zoom since the movement of the finger is a gesture with the user ‘pulling’ the object to be photographed closer (front to back stroke means zooming) or ‘pushing’ the object to be photographed away (back to front stroke means wide angle). According to another aspect of the invention, the touchpad

10

replaces the shutter button functionality and the preferable location for this embodiment is top mounted. Preferably, the touchpad is tapped once to focus the camera and/or lock the AF and tapped a second time to trip the shutter. Alternatively, the inventive camera system simply senses the person’s touch of the touchpad, auto focuses the camera and/or locks the focus or provides continually focusing while the person’s touch is sensed and wherein a tap of the touchpad then trips the shutter. Preferably, the camera system enforces a maximum amount of time that the AF may be locked so that action photographs will not be badly focused. Automatically locking the AF settings for a maximum predetermined time after AF activation or continuously focus upon AF activation is also applicable to the prior art AF button activation method described below. While a computer-like touchpad was used to illustrate the above preferred embodiments of this aspect of the invention, the touch sensitive input device could be comprised of other structure, for instance, the aforementioned touch-sensitive LCD display. Also, throughout this disclosure, the word ‘continuous’ (and its variants, e.g., continually, etc.) should be construed to mean discretely continuous in addition to its analogue-world definition.

In a second preferred embodiment of this aspect of the invention, the touchpad is placed on the back of the camera (FIG. 1 element 12b) and is operable for manipulated the cursor and menus shown on the LCD or EVF display. This provides a much more natural and computer-like interface to the camera system. It is also contemplated that either embodiment of this aspect of the invention may be coupled with voice recognition so that the user may interact with the camera by touchpad manipulation in combination with voice commands. Additionally, combined with gaze tracking, the user can interact with the camera through touch, voice, and gaze (i.e., sight) to manipulate menus, control the camera system, compose the shot, focus, zoom, enable/disable flash, select macro or panoramic camera modes, etc.

One of the most annoying properties of the modern digital camera is the shutter delay that occurs when a picture is taken. That is, the delay between the user depressing the shutter button and the camera actually taking the picture. This delay can be as much as one second on some modern digital cameras and is typically due to the camera focusing and then taking the picture after the shutter button is depressed. One solution to this implemented by prior art cameras is for the camera to sense when the shutter button is depressed half way, then focus and lock the AF settings of the camera while the shutter button remains half way depressed, so that when the user depresses the shutter button the rest of the way, the picture is taken almost instantaneously. This solution is more often than not misused or misunderstood by novice users or those who do not use their camera regularly and can also result in blurred action photographs. Thus, one aspect of the present invention provides that the viewfinder be coupled to a unit for detecting when the user’s eye is viewing through the viewfinder. When viewfinder use is detected, the inventive camera system preferably enables the auto focus system to continually focus thus ensuring that the shot is focused when the camera system is commanded to take a picture. Preferably, the gaze tracker is used for this determination though this aspect of the invention may be implemented without gaze tracking.

In a preferred embodiment of this aspect of the invention without gaze tracking, the viewfinder is equipped with a small light emitting device and a light detection device both well known in the art. With reference to FIG. 4, the light

US 11,153,472 B2

11

emitting device, 70, emits a frequency or frequencies of light some of which is reflected from the eyeball when a user is viewing through the viewfinder, 74. The light detection device, 72, is operable for sensing this reflected light and an amplifier (not shown) coupled to device 72, amplifies the signal from the light detection device, 72. Obviously, if there is no one viewing through the viewfinder, then there will be no reflected light from the eyeball and the amplifier output will be near ground, however, when a person peers into the viewfinder, light will be reflected from his eyeball and the output of the amplifier will be significantly larger. Thus, this system and method provides a way for detecting the use of the viewfinder by the user without providing gaze tracking ability. It is contemplated that this system and method be used with both EVF and optical (i.e., traditional) viewfinders and that viewport, 76, may be an LCD, optical lens, etc. Shroud 78 typically included on modern viewfinders helps to improve viewfinder use detection by cutting down on extraneous light reaching device 72 when the user is viewing through the viewfinder. It should be noted that the location of elements 70 and 72 in FIG. 4 is exemplary only and other placements of these elements are within the scope of this aspect of the invention. While the above embodiment of this aspect of the invention relied on eyeball reflectivity, in an alternate embodiment it is contemplated that the viewfinder use detect can be made with a light source and light detector juxtaposed wherein the eye interrupts the light between the two thus indicating viewfinder use, or that the shroud be fitted with a touch sensor around its outer ring that would sense the person's contact with the shroud when the viewfinder is in use. Additionally, it is contemplated that embodiments of this aspect of the invention may employ filters or other structures to help minimize false viewfinder use detection due to sunlight or other light sources shining on detector 72 when a user is not viewing through the viewfinder.

Another aspect of the present invention is to employ a wink-detector as part of the viewfinder of the camera. Preferably, the gaze tracker is modified for this purpose. Alternatively, the previously disclosed viewfinder use detector may also be employed. All that is required is to additionally detect the abrupt change in reflected light from the eye that would be caused by the eyelid wink. The wink-detector is contemplated to be used for shutter trip and/or AF activation or lock among other things. It is contemplated that it be used in the aforementioned application wherein the menus of the camera are displayed on the EVF. In this case, the wink detector preferably acts as a user selection detector device in that the user may select an item pointed to by the gaze tracker pointer or that is otherwise highlighted by the gaze tracker simply by winking. It is contemplated that the detected wink would preferably function in the camera system similarly to a left mouse click on a computer system when dealing with menus and icons. In this way, the camera system with wink detector of this aspect of the present invention becomes a optical gesture-recognizing camera wherein the gesture is optically received and electronically recognized (gesture recognition is also contemplated to be used in the touchpad software as described above.)

In an enhancement of this aspect of the invention, the wink detector subsystem discriminates between a wink and a blink by preferably determining the amount of time taken by the wink or blink. If the amount of time taken for the gesture (blinking or winking) is below a certain threshold, the gesture is considered a wink and disregarded.

Once a user of a camera has taken pictures, typically he will wish to print or otherwise develop the pictures for viewing, framing, etc. Another aspect of the present inven-

12

tion provides for simpler photo offloading from the modern digital camera when a set of predetermined conditions, such as day, time, number of pictures to offload, etc., are met. The camera system preferably includes the ability for the user to indicate to the camera which pictures to offload so that the camera offloads only those pictures that are so indicated by the user. In a first preferred embodiment of this aspect of the invention, the camera system is internally equipped with wireless interface technology by a wireless interface to the camera controller for interfacing directly to a photo printer or other photo rendering device. Currently preferred is WIFI (i.e., IEEE 802.11 a/b/g/n) with alternatives being Bluetooth, or wireless USB all of which are known in the art. By connecting via WIFI, the inventive camera system can preferably access other devices on the LAN associated with the WIFI for the storing of pictures onto a computer, network drive, etc. In additional, preferably, devices on the network can access the camera system and the pictures within it directly and also access camera settings, upload new software or updates to the camera system, etc. Since one of the big complaints with wireless technology for small devices is the often-obtrusive antenna, it is greatly preferred for this aspect of the invention that the wireless hardware including antenna be completely contained within the body of the camera system.

In a second preferred embodiment of this aspect of the invention, the inventive camera system is equipped with software and hardware coupled to the camera controller allowing independent communication with a computer network for the primary purpose of communicating its pictures over the internet. Currently preferred is WIFI which is typically connected by LAN, routers, etc. to the internet and which usually allows WIFI-equipped devices to independently connect to the internet (FIG. 3, element 46c). Alternatively, the invention contemplates the use of wired LAN, cellular data networks, etc. as the interconnection technology (FIG. 3, element 46b) used by the inventive camera system. The inventive camera system is further preferably equipped with a microbrowser that runs on the inventive camera system's camera controller which is preferably a microprocessor. It is contemplated that some embodiments may not be required a microbrowser (see enhancement below). Design and operation of microbrowser-equipped electronic devices for use with the internet is well known in the art and need not be discussed further. The camera system LCD display serves the purpose of displaying internet webpages when the user is navigating the internet in addition to its function as the camera display. So equipped, the inventive camera system can now independently upload its pictures to any of the internet-based photo printing services, such as those provided by Walmart.com, Walgreens.com, Kodak.com, etc., without the need for first storing the photos to a computer system and then connecting the computer system to the internet to upload the pictures. Use of these internet services for printing photos is preferred by many over use of a home photo printer because of the convenience, ease, availability, quality and lower per-picture printing costs. Providing the novel combination of a high photo-quality camera system with direct access to the internet according to this aspect of the present invention will further improve the utility of the camera system and these services.

In an enhancement to the above-disclosed embodiments of this aspect of the invention, the inventive camera system is operable for being instructed to automatically initiate a connection to the internet, LAN, printer, etc. whenever the predetermined conditions are met and it is in range of the network connection, (e.g., WIFI, Bluetooth, wireless USB,

US 11,153,472 B2

13

wired LAN, etc). Once the transmittal of the pictures is complete, the inventive camera system preferably terminates the connection. Additionally, the inventive camera system is preferably operable so that the automatic connection is made only at certain times of the day or weekends, etc., so as to confine picture transmission to periods of low network usage or periods of cheaper network access, etc. Also, it is currently preferred that the user be queried to allow the automatic connection though this is obviously not required and the connection can be made completely autonomously. Thus, in the first embodiment above, the inventive camera system automatically sends its pictures to a printer or other device on the LAN for printing or for remotely storing the pictures in the inventive camera system, whenever the inventive camera system is in range of the LAN network connection and connection can be made. In the second embodiment above, the inventive camera system automatically connects to the internet preferably via WIFI, although cellular network, etc. connection is also contemplated, when it has a predetermined number of pictures and can so connect, and will send the pictures to virtually any internet destination without user intervention. For example, the inventive camera system can be instructed to automatically send the pictures to an email account, internet picture hosting site (FIG. 3, element 46*d*), web-based photo printing site, the user's internet-connected home computer (when he is on vacation, for instance), etc. In this way, valuable pictures are immediately backed-up and the need for reliance on expensive camera storage media like flash cards, SD, etc. is greatly reduced.

Many prior art digital cameras can now record images continuously at 30 frames per second (i.e., take movies) along with sound. Thus, a prior art camera having an internet connection capability as herein taught combined with well known and straightforward editing methods enables inventive on-camera movie composition. According to this aspect of the invention, the inventive camera records a series of images, (e.g., a movie) and then the user downloads an MP3 file (i.e., a sound file) from a network (e.g., internet) source to be associated with the movie taken so that when the movie is played, the MP3 file also plays. Alternatively, the MP3 content is embedded in the movie, either as is, or re-encoded. Additionally, the user may download other movie material or still images via the network connection for insertion in the camera-recorded movie or for the replacement of certain individual camera-taken "frames" in the movie.

FIG. 3 shows an exemplary functional block diagram of the improved, camera system according to various aspects of the present invention. The figure shows one possible exemplary embodiment contemplated and the figure should not be used to limit the teaching of this disclosure to a certain implementation, embodiment, combination of aspects of the present invention, or otherwise.

Another aspect of the present invention provides that prior art features of the cell phone (FIG. 3, element 46*a*) are combined so that voice control of the camera in the cell phone can be accomplished. Many modern cell phones incorporating cams also provide voice recognition-driven dialing. Therefore, the functionality necessary for recognizing vocalizations within a cellular communication device exists in the art but has not been applied to the cell phone camera. This aspect of the present invention couples the voice recognition unit of a cell phone to the camera control unit of the cell phone either directly or via the cell phone controller, thus enabling voice control of the cell phone camera. Preferably, when recognizing a vocalization, the

14

cell phone controller programming would also include the step of determining if the recognized vocalization was for camera control, or for dialing. Such determination would preferably be by reserving certain recognized keywords to be associated with camera functions (e.g., snap, shoot, etc). Alternatively, the cell phone may be explicitly placed into camera mode so that it is known ahead of time that recognized utterances are for camera control.

Cell phones being so light and without much inertia are hard to steady and the fact that the user must push a button on something so light makes it even harder to keep steady particularly given the small size of the shutter button on some cell phones. This aspect of the present invention would make picture taking on cell phones simpler and more fool proof.

Another aspect of the invention provides that the prior art voice recognition unit of the cell phone be adapted to recognize at least some email addresses when spoken. Another aspect of this inventive adaptation is to adapt the cell phone voice recognizer to identify the letters of the alphabet along with certain key words, for example, "space", "underscore", "question mark", etc and numbers so that pictures may be named when stored by spelling, for example. This aspect of the invention is contemplated to serve the dual purpose of being usable for text messaging or chat text input on the cell phone in addition to picture labeling.

Additionally, other aspects of the present invention taught for the improved camera system are applicable to the improved cell phone herein disclosed particularly the aspect of the present invention associating multiple different utterances to a single command. The aspect of the invention allowing for automatic connection to a LAN or the internet is also contemplated for use with cell phone cameras. This aspect of the invention ameliorates the prior art storage space limitation which severely hampers the utility of the cell phone camera. Cellular service providers typically charge a fee for internet access or emailing and so an automatic feature to connect to the net or send email for the purposes of transmitting pictures can improve revenue generation for these companies.

The embodiments herein disclosed for the various aspects of the present invention are exemplary and are meant to illustrate the currently preferred embodiments of the various aspects of the invention. The disclosed embodiments are not meant to be exhaustive or to limit application of the various aspects of the invention to those embodiments so disclosed. There are other embodiments of the various aspects of the present invention that are within the scope of the invention. Additionally, not all aspects of the invention need to be practiced together, it is contemplated that subsets of the disclosed aspects of the present invention may be practiced in an embodiment and still be within the scope of the present invention. For instance, an embodiment combining a touch sensitive shutter button with a viewfinder use detector so that focusing is only accomplished when both the shutter button is touched and viewfinder use is detected. Another embodiment contemplated is to use the viewfinder use detector to automatically turn the EVF on and the LCD display off when viewfinder use is detected instead of the prior art method of pressing a button which typically toggles which of the two is on and which is off. Still another contemplated embodiment applies the touch gesture recognition typically used with the computer-like touchpad technology to a touch sensitive display, such as the touch sensitive LCD of the camera and other devices herein disclosed that utilize an LCD display. Combining various

US 11,153,472 B2

15

aspects of the invention herein disclosed, such as voice recognition, touch input, gaze tracking, etc for camera control provides much more natural and human interfacing to the camera system for the control of camera menus, camera features, camera options, camera settings, commanding picture taking, enabling flash, etc.

Another alternative embodiment for the disclosed aspects of the present invention is to use the disclosed touchpad with or without supporting input gesture recognition with cellular phones, other cellular devices, Apple Computer Inc.'s Ipad MP3 player, etc., with the computer-like touchpad replacing some or all of the buttons on devices. Touch input with or without touch-based gesture recognition would be an ideal replacement for Apple's Ipad click wheel interface. The touch pad would preferably be made round (alternatively, it would be rectangular with the housing of the device providing a round aperture to the touchpad device) and simply by skimming a finger over or touching the touchpad at the appropriate places on the touch pad, the Ipad would be commanded to perform the proper function such as raising or lowering the volume, fast forwarding, slowing down replay, changing the selection, etc. This type of round touchpad is also contemplated for use on cell phones to simulate the old-fashioned rotary dial action or placement of digits. The user touches the pad at the appropriate place around the circumference of the touch pad to select digits and enter them and then makes a dialing motion (stroking a thumb or finger around the circumference of the touchpad) to begin the call or touches the center of the pad to begin the call. Round pattern dialing is easily done with the thumb when the phone is being single-handedly held. With reference to FIG. 5, in another embodiment, the touchpad, 94, is further contemplated to be fitted with a solid overlay having 2 or more cutouts over its surface (the solid overlay with cutouts is preferably part of the cell phone or other device's housing and alternatively, the solid overlay, 90, with cutouts, 92, is applied to the touchpad surface separately) that only allows for certain areas of the touchpad to actually be touched to assist the user in assuring that only certain well-defined areas of the touchpad are touched. This greatly reduces the software detection requirements for the touchpad interface software since now the software need only detect when a certain defined area is touched and assigns a specific function to that touched area and reports that to the device controller. That is, the cutout areas would essentially be soft keys but without there being a plurality of different keys, instead, simply different soft key locations on the same touchpad but delineated physically so that certain other areas of the touchpad simply cannot be touched. It is further contemplated that, in many instances, the cutouts can be made large enough so that finger-stroke gestures can still be made and discerned. Because of the nature of modern mouse-like touchpad technology and how it works, the firmness of a persons touch that actually registers as a touch can also be provided for by software and this feature is also contemplated for use herein. Additionally, the touchpad, covered by a solid overlay with cutouts, would be recessed below the upper surface of the overlay (by as much as desired) helping to minimize false touches. This would be a much cheaper input gathering structure and would replace some or all of the many buttons and joystick-like controller of the cell phone, Ipad, camera, etc. It is contemplated that a few generic touchpad shapes and sizes could be manufactured and serve a host of input functions, replacing literally tons of buttons and switches, since now the solid overlay with cutouts on top of the touchpad defines the areas that can be touched or gestured (see exemplary drawings of FIG. 5(b)

16

and FIG. 5(c)), and touchpad software, well understood in the art, defines what meaning is ascribed to these touched locations and gestures and what degree of firmness of touch is required to actually register the touch. Tapping and gesture (i.e., a finger stroke) recognition would further extend this new input-gathering device capability but is not required. This new input-gather device can be used to replace all or some of the buttons or joystick-like controllers on cell phones, portable electronic devices, cordless phones, mp3 players, PDAs, cameras, calculators, point of sales terminals, computers, computer monitors, game controllers, radio, stereos, TV, DVD players, set-top boxes, remote controls, automobile interfaces, appliances, household switches light and appliance switches, etc. Additionally, use of an overlay with cutouts is not absolutely necessary to practicing the above teachings. Similar functionality can be accomplished by simply embedding, embossing, or surface applying area-delineating markings, preferably with labels, to the touchpad itself and allowing software to accept only those touches that occur in these defined areas and to give the labeled meaning to these areas when so touched. However, use of an overlay with cutouts is currently greatly preferred because of the tactile delineation of areas it provides.

Returning to the Ipad example, because of the large memory currently available with the Ipad, it is also contemplated that a digital camera, similar to cell phone's camera be embedded in the Ipad and coupled to the Ipad controller and this inventive Ipad be operable for taking pictures and storing the pictures in the Ipad's memory. Another alternate embodiment for the disclosed aspects of the present invention is to use the viewfinder use detector, gaze tracker, and/or the disclosed internet connectability, herein described, in a video camera. As with the camera system disclosure, the viewfinder use detector can be used to enable or disable various aspects of the video camera system, such as turning the LCD display off when viewfinder use is detected. Gaze tracking is contemplated to be used to assist the video camera focusing or used to guide and select menu items. Internet connectability is contemplated be used to download sound or image files for editing or for uploading video recorded for editing or remote storage of the video images.

It is further contemplated that certain aspects of the presently disclosed invention have application beyond those disclosed herein. For instance, various voice recognition aspects of the present invention, such as use of a plurality of microphones or multiple different vocal utterances associated with the same command or delayed implementation of a command which corresponds to a recognized vocalization, are contemplated to have utility for many of the devices herein referenced and are anticipated to be incorporated therein. As an example, automatically connecting to the internet when a set of predetermined rules or conditions (such as time, date, status of equipment, etc) is met would be useful for the download/upload of information from/to the internet, like music, video, etc. for processing, storage, transmission to another party, etc. Those skilled in the art will undoubtedly see various combinations and alternative embodiments of the various aspects of the present invention herein taught but which will still be within the spirit and scope of the invention.

US 11,153,472 B2

17

What is claimed is:

1. A camera system comprising:

- (a) a lens;
- (b) a cellular interface;
- (c) an image sensor that is coupled to the lens and operable to capture pictures;
- (d) a non-volatile local memory that is coupled to the image sensor and operable to store pictures captured by the image sensor;
- (e) a touch sensitive display;
- (f) a controller coupled to the cellular interface, the non-volatile local memory and the touch sensitive display, and configured to:
 - (i) receive, via the touch sensitive display, a user selection of an upload option that instructs the camera system to confine automatic picture upload to periods without potentially increased cellular network access fees;
 - (ii) automatically connect to a picture hosting service that is internet-based and enable an upload to the picture hosting service, over the internet and via the cellular interface, of a group of image sensor-captured pictures stored in the local memory, during any period detected by the controller in which all three of the following conditions are met:
 - (1) the upload is allowed because the system is within one of the periods without potentially increased cellular network access fees, as determined using data from the cellular interface;
 - (2) the system is connected to the internet via the cellular interface; and
 - (3) at least one image sensor-captured picture stored in the local memory has been designated through the touch sensitive display as part of the group of pictures to be uploaded to the picture hosting service.

2. The camera system of claim 1, wherein the picture hosting service includes printing services.

3. The camera system of claim 1, wherein the controller is configured to automatically connect to the picture hosting service and enable the upload immediately at any time the three conditions are met.

4. The camera system of claim 1, wherein the controller is configured to automatically independently connect to the picture hosting service and enable the upload.

18

5. A camera system comprising:

- (a) a lens;
- (b) a cellular interface;
- (c) an image sensor that is coupled to the lens and operable to capture pictures;
- (d) a non-volatile local memory that is coupled to the image sensor and operable to store pictures captured by the image sensor;
- (e) a touch sensitive display;
- (f) a controller coupled to the cellular interface, the non-volatile local memory and the touch sensitive display, and configured to:
 - (i) display on the touch sensitive display a user-selectable input that instructs the camera system to confine automatic picture upload to periods without potentially increased cellular network access fees;
 - (ii) automatically connect to a picture hosting service that is internet-based and enable an upload to the picture hosting service, over the internet and via the cellular interface, of a group of image sensor-captured pictures stored in the local memory, during any period detected by the controller in which all the following conditions are met:
 - (1) the controller has received from the display a selection of the user-selectable input that instructs the camera system to confine automatic picture uploads to periods without potentially increased cellular network access fees;
 - (2) the controller has confirmed that the camera system is within a period without potentially increased cellular network access fees, as determined using data from the cellular interface;
 - (3) the system has a connection to the internet via the cellular interface; and
 - (4) at least one image sensor-captured picture stored in the local memory has been designated through the touch sensitive display as part of the group of image sensor-captured pictures to be uploaded to the picture hosting service.

6. The camera system of claim 5, wherein the picture hosting service includes printing services.

7. The camera system of claim 5, wherein the controller is configured to automatically connect to the picture hosting service and enable the upload at any time the conditions are met.

8. The camera system of claim 5, wherein the controller is configured to automatically independently connect to the picture hosting service and enable the upload.

* * * * *